



SCHNEIDER LABORATORIES GLOBAL, INCORPORATED
2512 W. Cary Street, Richmond, VA 23220-5117
804-353-6778 Toll Free - 800-785-LABS(5227) FAX - 804-359-1475
www.slabin.com info@slabin.com

Desk Reference Guide & Fee Schedule

Environmental & Wet Chemistry

September 2011

Methods & Pricing (media and testing) subject to change



Table of Contents

<u>Letter from the President</u>	<u>1</u>
<u>Statement of Qualifications</u>	<u>2</u>
<u>Overall Scope of Services</u>	<u>3</u>
<u>Mission, Vision, Values</u>	<u>4</u>
<u>Environmental Testing Policies</u>	<u>5</u>
<u>Abbreviation Key</u>	<u>7</u>

Environmental Groupings and Fee Schedule

<u>Metals Analyses</u>	<u>8</u>
<u>Hazardous Waste Characterization</u>	<u>10</u>
<u>Hazardous Waste Characterization Profiles</u>	<u>11</u>
<u>Underground Storage Tank Parameters</u>	<u>12</u>
<u>Gas Chromatography/Mass Spectrometry (GC/MS) Analyses</u>	<u>13</u>

Desk Reference Guide and Fee Schedule

<u>Environmental Sampling Guide and Fee Schedule</u>	
<u>Wet Chemistry Sampling Guide and Fee Schedule</u>	

Appendices

Tables and Charts

<u>Semi-volatile Analytes by Mass Spectrometry</u>	<u>A</u>
<u>Volatile Analytes</u>	<u>B</u>
<u>PCB / Pesticide and Herbicide Analytes</u>	<u>C</u>
<u>TCLP Parameters and Regulatory Limits</u>	<u>D</u>
<u>Aqueous Organics Preservative and Sample Container Chart</u>	<u>E</u>
<u>New Client Information Form and Credit Application</u>	<u>F</u>
<u>Chain of Custody</u>	<u>G</u>
<u>Supply Request Form</u>	<u>H</u>
<u>Accreditations</u>	<u>I</u>
<u>Sample Acceptance Policy</u>	<u>J</u>
<u>Consumer Product Testing</u>	<u>K</u>
<u>R&D</u>	<u>L</u>



SCHNEIDER LABORATORIES GLOBAL, INCORPORATED

2512 W. Cary Street, Richmond, VA 23220-5117
804-353-6778 Toll Free - 800-785-LABS (5227) FAX - 804-359-1475
www.slabinc.com info@slabinc.com



From the President

Dear Valued Client:

Thank you for allowing us to provide you a copy of our Environmental Desk Reference Guide and Fee Schedule. We, Schneider Laboratories Global, Inc. (SLGI), are immensely pleased to inform you what we can offer to service all your industrial hygiene and environmental needs. SLGI is nationally and internationally recognized through many accrediting agencies, such as ISO/IEC 17025 certification, the American Industrial Hygiene Association (AIHA), the National Environmental Laboratory Accreditation Committee (NELAC), and the National Voluntary Laboratory Accreditation Program (NVLAP), VELAP, AIHA-ELLAP, NY-ELAP, CA-ELAP, NC-ELAP, SC-ELAP, and many other states.

Schneider Laboratories Global, Inc. specializes in the analysis of organic compounds, asbestos, lead, microbiology, bacteriology, mold, and metals in various matrices including paint, soil, wipes, building materials, product testing, R&D, wastewater, drinking water and hazardous wastes. This, along with the addition of Ecoli, Coliform, and ICP-MS analysis to SLGI's scope of work propels SLGI on all levels.

The laboratory is dedicated to serving the testing needs of occupational and environmental health and safety professionals worldwide. The hallmark of SLGI's success has been our ability to create partnerships with clients to provide accurate laboratory analysis at competitive prices, with no extra charge for weekend analysis. We service your needs globally and around the clock to meet all your analytical needs. With continuous growth and expansions in services and global opportunities, we are confident to say that we have the knowledge, skills, and abilities to service the needs for our current and potential clients.

If you have any questions, please do not hesitate to call us at 1-800-785-LABS. Thank you, again!

Sincerely,

Najwa Abouzaki
President

Statement of Qualifications

Schneider Laboratories Global specializes in the analyses of organic compounds, asbestos and metals in various matrices including paint, soil, wipes, building materials, wastewater, drinking water and hazardous wastes.

SLGi is a global independent, AIHA (ISO-17025)/ NELAC /NVLAP accredited, global, commercial analytical testing laboratory located in Richmond, VA. The laboratory is dedicated to serving the testing needs of occupational / environmental health and safety professionals worldwide. The hallmark of SLGi's success has been our ability to create partnerships with clients to provide accurate laboratory analysis at competitive prices.

SLGi provides the security, instrumentation and storage to efficiently and reliably perform analyses. SLGi utilizes a 20,000 square feet facility which is evaluated on an on-going basis and renovated as needed to accommodate all analytical/safety requirements. Since its inception of our laboratory in 1987, SLGi has experienced tremendous growth in all analytical areas, including Industrial Hygiene, Environmental, Lead, Asbestos, Microscopy, Microbiology, Organics, Wet Chemistry, Drinking Water, R&D, Waste Water, Product Testing, Metals Testing, Storm Water and now Sea Water analysis. SLGI is recognized as a leader in laboratory testing.

Internationally: SLGi assists industrial professionals, engineers, consultants and government agencies worldwide to meet the ongoing and ever changing needs for industrial hygiene, environmental, water testing, lead, organic, metals, microbiology, and asbestos testing.

Nationally: SLGi was the first laboratory in the nation to receive accreditation for the analysis of lead based paint chips, soil and dust wipes through AIHA's ELLAP Program (ISO 17025). Schneider Laboratories is listed in the first group of laboratories in the United States to receive NELAC accreditation.

Regionally: SLGi was the first laboratory in Virginia to be licensed for asbestos analysis.

Schneider Laboratories Global's outstanding analytical achievements are due to a strong, focused Quality Assurance Program. This is essential to maintaining both control of all analytical processes in the laboratory and the confidence of the hundreds of clients that currently utilize the laboratory's services. The efforts to constantly improve the quality assurance program, as well as expand the services offered by the laboratory, are a great undertaking, and are being shouldered by each employee at every level of the laboratory's organization, from President to technician. Each employee is critical. Each client is our "Most Important."

Our reputation for courteous and responsive interaction with our customers is widespread.

Our documentation process is exact and complete.

Our distinction as an "**AUTHORITY**" in asbestos and lead testing has become a global customer response.

Overall Scope of Services

Airborne asbestos dust samples are analyzed in accordance with NIOSH Method 7400, Issue 2, Counting Rules A.

Bulk asbestos samples are analyzed in accordance with EPA Method 600/M4/82/020, 600/R-93/116, NIOSH Method 9002, Issue 2, NY ELAP Item 198.1, and/or NY ELAP Item 198.6.

Air filter metals samples are analyzed by methods based on NIOSH 7082, 7048, 7024, 7030, 7300, and other NIOSH Methods. OSHA ID-121 Method is used for analytes not cited by NIOSH methods.

TCLP metals samples are processed in accordance with EPA SW-846 Method 1311 and the appropriate EPA 6010B or 7000-series for metals analysis.

Solid metals samples are analyzed by EPA 6010B, 7420, or other 7000 Series Methods coupled with EPA 3010A, 3020A, or 3050B Digestion Methods.

Water samples for metals are analyzed by EPA 200-series methods.

Silica samples by FTIR are analyzed using NIOSH 7602 and 7603.

Gravimetric testing includes Particulate Matter by 40 CFR 50, Appendix J and Total Suspended Particulate by 40 CFR 50, Appendix B Method.

Industrial Hygiene Organics are analyzed by methods including, but not limited to, NIOSH 1001, 1003, 1005, 1007, 1008, 1010, 1014, 1015, 1018, 1019, 1020, 1022, 1300, 1301, 1302, 1400, 1401, 1402, 1403, 1450, 1451, 1453, 1454, 1457, 1458, 1459, 1500, 1501, 1550, 1551, 1552, 1600M, 1602, 1603, 1604, 1606, 1609, 1610, 1612, 1613, 1615, 1616, 1617, 2000, 2002, 2004, 2005, 2007, 2010, 2011, 2012, 2013, 2500, 2505, 2506, 2508, 2516, 2520, 2526, 2527, 2530, 2537, 2538, 2542M, 2544, 2545, 2546, 4000, 5020, 5026, 5034M, 5038, 5042 Gravimetric, 5503, 5515M, 5517, 5518, 5523, 6004, 6005M, 6011, 6013, 7401, 7501, 7903, 7903M, 7904, 7904M, 7906, and S150; OSHA 7, 16, 21, 29, 50, 52, 52M, 55, 56, 57, 58, 58 Gravimetric, 62-M, 67, 70, 72, 74, 83, 99, 101, 102, 102M, 104, CIM, and CSI; OSHA ID 182, 188, 190, 202, 205, and 214; EPA IP-8; OSHA PV 2009, 2025, 2047, 2050, 2050M, 2060, 2060M, and client-supplied methods.

Environmental Organics are analyzed by methods including, but not limited to: Extraction & Preparation Methods - EPA SM5210B-9014, HACH8000-2097, SM18-21, 2540C-9064, SM18-21 2540D-9065, SM18-21 2540B 9063, 310.2-2008, 300.0 Rev. 2.1-2459, Lachat 10-107-06-1-B-2489, 10-107-06-2-2485, 3510C, 3550B, 3580B, 5030B, 5035; Cleanup Methods - EPA 3620B, 3665A; Determination of Organic Analytes - EPA 602, 608, 624, 625; EPA SW-846 8015M, 8011, 8020, 8081A, 8082, 8141A, 8151A, 8260B, 8270C.

Method Selection may be standard per analyte requested or based on a number of factors including, but not limited to: sample matrix, analyte(s) requested, and required detection limit. Methods are available in their original, published form in the SLI Company Library, in software versions located on the lab's server, and/or on the internet. Additionally, exact SLI protocol is described in the SLI Standard Operating Procedure for each method. Detailed method information is available from the analysis department or the SOP Manual

Our Mission

To make our world a cleaner and safer place for current and future generations to enjoy:

- By providing environmental and industrial hygiene services to meet our clients' needs.
- By increasing awareness of the environment and industrial hygiene testing on daily basis.
- By conserving the company's resources with the same diligence that we would conserve our own personal resources.

Our Vision

To be the worldwide recognized environmental and industrial hygiene laboratory to meet our customers need, and make our world a better place to live.

Our Values

Customers – Our clients are our number one priority. Always listening and being responsive to our clients, we do what we say and say what we do are our commitments. We honor these values with care.

Employees – We treat others the way we want to be treated. In all our dealings we strive to be friendly and courteous, as well as fair and compassionate.

Services – Providing the most accurate environmental and industrial hygiene services on time to satisfy our clients worldwide is what we do.

Environmental Testing Policies

Sample Submission: Sample containers are provided with the assumption these items will be returned. The laboratory reserves the right to bill clients for un-returned containers at replacement costs. Sample containers are routinely shipped by ground delivery United Parcel Services (UPS). Shipping charges will be the responsibility of the client.

Chain of Custody: Chain of Custody forms are provided at no additional charge. Chain of custody forms should be legible and complete. It is recommended that the chain is filled out online and that a separate form for each sample type (e.g. metals, organics, dusts, asbestos) be used. Include the following information when submitting samples to the laboratory:

1. Client name, address (if not using pre-printed form)
2. Telephone number, fax number
3. Project name/number
4. Date and time of sample collection
5. Number and types of samples
6. Type of analysis requested on each sample
7. Sample identification, including time and air volumes
8. Purchase order information
9. Signature of person submitting samples
10. Sample identification numbers clearly marked on each sample submitted are necessary for cross-referencing and sample tracking throughout the laboratory. The number chosen to identify your samples should also be written on the chain of custody form submitted with the samples.
11. Indicate any special instructions

Providing this information will help eliminate delays. Please submit the top two copies of the chain of custody form with your samples and retain the bottom copy for your records.

Turn Around Time: Standard turnaround time for most environmental analyses averages five business days from sample receipt in the laboratory until results are provided by the close of the business day. Priority analysis is available with advanced notification and provides results within two business days of sample receipt. In most situations, a 75% additional charge is applied. Samples requiring weekend analyses must be pre-arranged prior to sample submission (please see **Weekends** next page).

Sample Retention and Disposal: Unless otherwise requested in writing, the laboratory will retain samples for thirty days after receipt. Non-hazardous or low level hazardous samples will be disposed of in an environmentally responsible manner by the laboratory and in accordance with applicable federal, state, and local regulations and/or laws. The laboratory, at its sole discretion, reserves the right to return hazardous samples to the client or to charge for their disposal.

Blanks: Good laboratory practice includes the use of blanks to monitor contamination at various sampling and testing stages. All samples for volatile analyses should be accompanied by a trip blank, supplied by the laboratory with sampling media, carried to the sampling site, and returned to the laboratory. Field blanks and equipment blanks should be collected by the sampler

to monitor contamination from ambient conditions as well as sampling devices. Method blanks are prepared by the laboratory and run as methods require.

Weekends: Schneider Laboratories offers same day turn-around on Saturday testing (except TEMS and send-out/referral tests). Advance notice of sample arrival and pre-approval are required by Friday at 3 PM ET in order to receive Saturday results. A waybill # must be forwarded to your Project Manager so the Saturday staff may be able to track your package. Rush turn-around-time requests remain the same for weekends and weekdays. There is no extra charge for weekend analysis.

Special QA/QC Requirements:

The client has the responsibility to notify the laboratory about the QC package preferred before receipt of the sample(s).

- Level 1 QA/QC – additional 25% of the invoice total
- Level 2 QA/QC – additional 50% of the invoice total
- Level 3 QA/QC – additional 75% of the invoice total
- Level 4 QA/QC – additional 100% of the invoice total

Abbreviation Key

B/N	Base/Neutral
BTEX	Benzene, toluene, ethyl benzene, xylene
C	Centigrade
Calc	Calculated
CVAA	Cold Vapor Mercury Analyzer
ECD	Electron capture detector
G	Glass
GC	Gas Chromatograph
GFF	Glass fiber filter
GFAA	Graphite furnace atomic absorption
Grav	Gravimetric
IC	Ion chromatography
ICP	Inductively coupled plasma
IR	Infrared spectrophotometry
M	Modified
MS	Mass spectrometry
MBAS	Methylene blue active substances
Micro	Microscope
ml	Milliliter
MTBE	Methyl t-butyl ether
NPD	Nitrogen/phosphorous detector
P	Plastic
P&T	Purge and trap
PCB	Polychlorinated biphenyl
QFF	Quartz fiber filter
R	Referral
Spec	Spectrophotometry
STC	Sodium thiosulphate container
T	Teflon
TCLP	Toxic characteristic leaching procedure
TCLP EXTR	TCLP extraction
TDS	Total Dissolved Solids
Titr	Titration
TTO	Total toxic organics



Metals Analyses

Parameter	Method	Price
AES-16 <i>(Al, As, Be, Cd, Co, Cr, Cu, Fe, Mn, Mo, Ni, Pb, Sb, Ti, V, Zn)</i>	6010	\$155.00
California-17 <i>(Ag, As, Ba, Be, Cd, Co, Cr, Cu, Hg, Mo, Ni, Pb, Sb, Se, Ti, V, Zn)</i>	6010/7471	\$170.00
Individual Metal by ICP	6010	\$15.00
Additional Metal by ICP <i>(Prices are for the following 26 metals only: Ag, Al, As, B, Ba, Be, Cd, Ca, Co, Cu, Cr, Fe, K, Mg, Mn, Mo, Na, Ni, Pb, Sb, Se, Sn, Ti, Tl, V, Zn. Any other metal will be \$25 each. Additional charges such as standard prices and set up fees may also apply.)</i>	6010	\$10.00
Full ICP Metals 26 <i>(Ag, Al, As, B, Ba, Be, Ca, Cd, Co, Cr, Cu, Fe, K, Mg, Mn, Mo, Na, Ni, Pb, Sb, Se, Sn, Ti, Tl, V, Zn)</i>	6010	\$260.00
Individual Metal by AA	7000 series	\$15.00
Additional Metal by AA	7000 series	\$10.00
Lead (Total Concentration by AA) <i>(Soil, Paint Chips, Air, Final Wipe Clearance)</i>	7420/7082	\$8.00
Individual Metal by GFAA	7000 series	\$35.00
Mercury by CVAA	7470/7471	\$35.00
Primary DrH2O <i>(As, Ba, Be, Cd, Cr, Cu, Hg, Ni, Pb, Sb, Se, Ti)</i>	6010/7471	\$130.00
Priority Pollutant Metals <i>(Ag, As, Cd, Cr, Cu, Hg, Ni, Pb, Sb, Se, Ti, Zn)</i>	6010/7471	\$135.00
RCRA Metals (Total Concentration) <i>(Ag, As, Ba, Cd, Cr, Hg, Pb, Se)</i>	6010/7471	\$95.00
Reed Minerals 30 <i>(Ag, Al, As, Ba, Ca, Cd, Co, Cr, Fe, Hg, K, Mg, Mn, Mo, Na, Ni, Pb, Rh, Sb, Se, Ta, Te, Ti, Tl, U, V, Y, Zn, Zr, Be)</i>	6010/7471	\$300.00
Secondary DrH2O <i>(Ag, Al, Ca, Fe, Mn, Na, Zn)</i>	6010	\$68.00
Solder Operations <i>(Ag, Be, Cd, Cu, Pb, Sb, Sn, Zn)</i>	6010	\$85.00
TAL Metals 23 <i>(Al, Sb, As, Ba, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Hg, Ni, K, Se, Ag, Na, Ti, V, Zn)</i>	6010/7471	\$225.00
Toxic Metals 6 <i>(As, Be, Cd, Cr, Pb, V)</i>	6010	\$65.00

Triad 20 Metals (Al, As, Ba, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mg, Mn, Mo, Ni, Se, Ag, Ti, V, Zn)	6010	\$200.00
Drinking Water by GFAA	200.9	\$35.00
Welding Fumes (Al, Be, Cd, Co, Cr, Cu, Fe, Mn, Mo, Ni, Pb, Sb, Ti, V, Zn)	6010	\$115.00

Sampling Requirements	Container	Preservation	Holding Time
Soil - 4 oz	Plastic sealable bag	None	6 months
Paint - 1 tbs	Plastic sealable bag	None	6 months
Wipe - 1 sq. ft.	ASTM wipe media in hard-shelled container	None	6 months
Water - 250 mL	Plastic bottle	Nitric acid	6 months
Water - 250 mL (Cr VI)	Plastic bottle	4°C	28 days
Water - 250 mL (Hg)	Plastic bottle	Nitric acid	28 days
Drinking Water - 1 Liter	Plastic bottle	Nitric acid	6 months
Drinking Water - 1 Liter (Cr VI)	Plastic bottle	4°C	28 days
Drinking Water - 1 Liter (Hg)	Plastic bottle	Nitric acid	28 days



Hazardous Waste Characterization

Waste may be categorized as hazardous or non-hazardous by listing of the waste type in the Federal Register or by testing for the four characteristics of hazardous waste given below. The four characteristics of hazardous waste are reactivity, corrosivity, ignitability, and toxicity. The toxicity characteristic is tested using the toxicity characteristic leaching procedure or TCLP. There are other tests that also aid in hazardous waste investigations which are given below.

Toxicity Characteristic Leaching Procedure (TCLP)

Individual Tests

(see alphabetical listing for sample requirements)

Parameter	Water	Soil
Full TCLP extraction & analysis (10 day TAT)	\$455.00	\$455.00

Extraction Procedures		
TCLP extraction for metals/semivolatiles/volatiles(ZHE)	N/A	No Charge

TCLP Analysis *

(See TCLP PARAMETERS AND REGULATORY LIMITS for a list of compounds)

Analysis for RCRA metals	\$120.00
Analysis for lead only	\$35.00
Analysis for semivolatile compounds	\$270.00
Analysis for pesticides	\$120.00
Analysis for herbicides	\$200.00
Analysis for volatile compounds	\$160.00

* Includes extraction

Other Hazardous Waste Parameters	Water	Soil
Reactivity	\$65.00	\$65.00
Corrosivity	\$6.00	\$8.00
Ignitability	\$35.00	\$35.00
PCBs	\$65.00	\$65.00
Free Liquids Test	\$8.00	\$8.00

Sampling Requirements	Container	Preservation	Holding Time
Soil - 16 oz	Glass - 4° C	None	14 Days
Solid - 16 oz	Glass - 4° C	None	14 Days
Water - 2 Litres	Glass - 4° C	None	14 Days



Hazardous Waste Characterization Profiles

The Hazardous Waste Characterization Profiles feature groupings of analyses that can be used to determine the hazardous/nonhazardous category for certain solid waste types. The Profiles feature the following parameters:

Hazardous Waste Profile A		\$450.00
TCLP, metals	BTEX	
TPH by IR	Ignitability	
Reactivity	Corrosivity (pH)	
Polychlorinated Biphenyls (PCBs)	Extractable Organic Halides (EOX)	
Paint Filter Liquids Test (Free Liquids)	Percent Moisture	

Hazardous Waste Profile B		\$370.00
TCLP, metals	BTEX	
TPH by IR	PCBs	
EOX	Free Liquids	
Percent Moisture		

Sample Requirements
Solid waste requires two 8 oz. Jars



Underground Storage Tank Parameters

(see alphabetical listing for sample requirements)

Parameter (Water and Soil)	5-day TAT
BTEX (GC - SW846 8021B)	\$50.00
BTEX (MS - SW846 8260B)	\$160.00
BTEX + MTBE (GC - SW846 8021B)	\$58.00
BTEX + TPH (gasoline) (GC - SW846 8021B)	\$70.00
BTEX + MTBE + TPH (gasoline) (GC - SW846 8021B)	\$75.00
BTEX + Naphthalene (GC - SW846 8021B)	\$58.00
BTEX + Naphthalene (MS - SW846 8260B)	\$160.00
BTEX + MTBE + Naphthalene (GC - SW846 8021B)	\$75.00
BTEX + MTBE + Naphthalene (MS - SW846 8260B)	\$160.00
Naphthalene (GC - SW846 8021B)	\$50.00
Naphthalene (MS - SW846 8260B)	\$160.00
PCBs (SW846 8082A)	\$65.00
TPH by IR (EPA 418.1)	\$65.00
TPH (gasoline range) (GC - SW846 8015M)	\$50.00
TPH (gasoline range) (MS - SW846 8260B)	\$160.00
TPH (diesel range) (GC - SW846 8015M)	\$58.00
TPH (diesel range) (MS - SW846 8270C)	\$270.00
Total lead by AA	\$35.00



Gas Chromatography/ Mass Spectrometry (GC/MS) Analyses

Parameter	Method	Price
Priority Pollutant Acids	EPA 625	\$175.00
Priority Pollutant Base/Neutrals	EPA 625	\$175.00
Priority Pollutant Acid/Base/Neutrals	EPA 625	\$270.00
Priority Pollutant Volatile Organics	EPA 624	\$160.00
Semi-volatile Organics	8270	\$270.00
Volatile Organics	8260	\$160.00
Semi-volatile Organics (up to 5 compounds)	8270	\$200.00
Volatile Organics (up to 5 compounds)	8260	\$100.00
Custom GC/MS Analysis (per hour, minimum 1 hour)		\$110.00



Environmental Sampling Guide and Fee Schedule

Test Name	Matrix	Method	Analytical Technique	Collection Media	Minimum Amount	Preservative	Notes	Fee
Acenaphthene	Soil/Water	EPA OR NIOSH MODIFIED	HPLC/UV					\$105.00
Acenaphthylene	Soil/Water	EPA OR NIOSH MODIFIED	HPLC/UV					\$105.00
Acetaldehyde	Soil/Water	EPA OR NIOSH MODIFIED	HPLC/UV					\$105.00
Acetic Acid	Soil/Water	EPA OR NIOSH MODIFIED	HPLC/UV					\$105.00
Acetic Acid	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$70.00
Acetic Anhydride	Soil/Water	EPA OR NIOSH MODIFIED	GC/NPD				Custom order due to limited shelf life.	\$85.00
Acetone	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Acetonitrile	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Acid Extractables	Water	625	GC/MS	G/T	2x1000ml	4°C	See Appendix A for list of analytes.	\$175.00
Acid Extractables	Water	8270	GC/MS	G/T	2x1000ml	4°C	See Appendix A for list of analytes.	\$175.00
Acid Extractables	Soil	8270	GC/MS	G/T	100 grams	4°C	See Appendix A for list of analytes.	\$175.00
Acid Mist		EPA OR NIOSH MODIFIED	IC				See individual acid or inorganic acid profile.	
Acid/Base/Neutrals (A/B/N) Extractables	Water	8270	GC/MS	G/T	2x1000ml	4°C	See Appendix A for list of analytes.	\$270.00
Acid/Base/Neutrals (A/B/N) Extractables	Soil	8270	GC/MS	G/T	100 grams	4°C	See Appendix A for list of analytes.	\$270.00

Test Name	Matrix	Method	Analytical Technique	Collection Media	Minimum Amount	Preservative	Notes	Fee
Acid/Base/Neutrals (A/B/N) Extractables	Water	625	GC/MS	G/T	2x1000ml	4°C	See Appendix A for list of analytes.	\$270.00
Acrolein	Soil/Water	EPA OR OSHA MODIFIED	GC/NPD					\$75.00
Acrylamide	Soil/Water	EPA OR OSHA MODIFIED	GC/NPD					\$75.00
Acrylic Acid	Soil/Water	EPA OR OSHA MODIFIED	HPLC/UV					\$105.00
Acrylonitrile	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Aldehyde Profile	Soil/Water	EPA OR NIOSH MODIFIED	HPLC/UV					\$190.00
Allyl Alcohol	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Allyl Chloride	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Allyl Glycidyl Ether	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Aluminum							See Metals Analyses Section.	
Aminoethanol	Soil/Water	EPA OR OSHA MODIFIED	HPLC/UV				See Ethanolamine.	
Ammonia	Soil/Water	EPA OR NIOSH MODIFIED	IC					\$75.00
Ammonia	Soil/Water	EPA OR OSHA MODIFIED	IC					\$75.00
Amyl Acetate	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Aniline	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID				Amines, Aromatic	\$60.00
Anion - Individual	Water	300	IC	G/T	125ml	4°C	Bromide, Chloride, Fluoride, Nitrate, Nitrite, Phosphate, Sulfate	\$35.00
Anion Scan	Water	300	IC	G/T	125ml	4°C	Bromide, Chloride, Fluoride, Nitrate, Nitrite, Phosphate, Sulfate	\$95.00
Anthracene	Soil/Water	EPA OR NIOSH MODIFIED	HPLC					\$105.00

Test Name	Matrix	Method	Analytical Technique	Collection Media	Minimum Amount	Preservative	Notes	Fee
Antimony							See Metals Analyses Section.	
Arochlor 1242	Soil/Water	EPA OR NIOSH MODIFIED	GC/ECD					\$70.00
Arochlor 1248	Soil/Water	EPA OR NIOSH MODIFIED	GC/ECD					\$70.00
Aromatic Hydrocarbon Profile	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID				See Industrial Hygiene Profiles for list of analytes	\$120.00
Arsenic			ICP	MCEF-37MM			See Metals Analyses Section.	
Arsenic Trioxide	Soil/Water	EPA OR NIOSH MODIFIED	GF/AA					\$35.00
Arsine	Soil/Water	EPA OR NIOSH MODIFIED	GF/AA					\$50.00
Asbestos			PLM				See Microscopy + Microbiology Section Fee Schedule.	
Asphalt Fume	Soil/Water	EPA OR NIOSH MODIFIED	GRAV				See Benzene Soluble Fraction & Total Particulate	
Barium			ICP				See Metals Analyses Section.	
Base/Neutral (B/N) Extractables	Water	625	GC/MS	G/T	2x1000 ml	4°C	See Appendix A for list of analytes.	\$175.00
Base/Neutral (B/N) Extractables	Water	8270	GC/MS	G/T	2x1000ml	4°C	See Appendix A for list of analytes.	\$175.00
Base/Neutral (B/N) Extractables	Soil	8270	GC/MS	G/T	100 grams	4°C	See Appendix A for list of analytes.	\$175.00
Benz[a]anthracene	Soil/Water	EPA OR NIOSH MODIFIED	HPLC/UV					\$105.00
Benzaldehyde	Soil/Water	EPA OR NIOSH MODIFIED	HPLC/UV					\$105.00
Benzene	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00

Test Name	Matrix	Method	Analytical Technique	Collection Media	Minimum Amount	Preservative	Notes	Fee
Benzene Soluble Fraction & Total Particulate (asphalt fume)	Soil/Water	EPA OR NIOSH MODIFIED	GRAV					\$90.00
Benzo[a]pyrene	Soil/Water	EPA OR NIOSH MODIFIED	HPLC					\$105.00
Benzo[b]fluoranthene	Soil/Water	EPA OR NIOSH MODIFIED	HPLC/UV					\$105.00
Benzo[g,h,i]perylene	Soil/Water	EPA OR NIOSH MODIFIED	HPLC/UV					\$105.00
Benzo[k]fluoranthene	Soil/Water	EPA OR NIOSH MODIFIED	HPLC/UV					\$105.00
Benzyl Chloride	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Beryllium							See Metals Analyses Section.	
Biphenyl	Soil/Water	EPA AND NIOSH MODIFIED	GC/FID				See Diphenyl	\$60.00
Biphenyl-Phenyl ether Mixture	Soil/Water	EPA AND NIOSH MODIFIED	GC/FID					\$70.00
Bis(2-Ethylhexyl) Phthalate	Soil/Water	EPA AND NIOSH MODIFIED	GC/FID					\$70.00
Boron							See Metals Analyses Section.	
Bromide		300.0	IC	P/G	125ml	4°C		\$35.00
Bromine	Soil/Water	EPA OR NIOSH MODIFIED	IC				Protect cassettes from light.	\$75.00
Bromochloromethane	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Bromoform	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
BTEX (Benzene, Toluene, Ethylbenzene, Xylene)	Water	8021	GC/PID	G/T	3x40 ml	HCl, 4°C	5-day turn around time.	\$50.00
BTEX (Benzene, Toluene, Ethylbenzene, Xylene)	Soil	8021	GC/PID	G/T	50 grams	4°C	No Headspace In Sample Container.	\$50.00

Test Name	Matrix	Method	Analytical Technique	Collection Media	Minimum Amount	Preservative	Notes	Fee
BTEX And MTBE (Methyl T-Butyl Ether)	Water	8021	GC/PID	G/T	3x40 ml	HCl, 4°C		\$58.00
BTEX And MTBE (Methyl T-Butyl Ether)	Soil	8021	GC/PID	G/T	50 grams	4°C	No Headspace In Sample Container.	\$58.00
BTEX Profile	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID				See Industrial Hygiene Profiles for list of analytes	\$75.00
Butadiene	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Butadiene	Soil/Water	EPA OR OSHA MODIFIED	GC/FID					\$60.00
Butanol	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Butanol	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Butanol	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Butoxyethanol	Soil/Water	EPA AND NIOSH MODIFIED	GC/FID					\$60.00
Butoxyethyl Acetate	Soil/Water	EPA OR OSHA MODIFIED	GC/FID					\$60.00
Butyl Acetate	Soil/Water	EPA AND NIOSH MODIFIED	GC/FID					\$60.00
Butyl Cellosolve (2-Butoxyethanol)	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID				See 2-Butoxyethanol	
Butyl Glycidyl Ether	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$70.00
Butyl Toluene	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Butylamine	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$70.00
Butyraldehyde	Soil/Water	EPA OR NIOSH MODIFIED	HPLC/UV					\$105.00
Butyric Acid	Soil/Water	EPA OR OSHA MODIFIED	GC/FID					\$70.00
Cadmium							See Metals Analyses Section.	

Test Name	Matrix	Method	Analytical Technique	Collection Media	Minimum Amount	Preservative	Notes	Fee
Calcium							See Metals Analyses Section.	
Caprolactam	Soil/Water	EPA OR OSHA MODIFIED	HPLC/UV					\$105.00
Caprolactam - Dust	Soil/Water	EPA OR OSHA MODIFIED	HPLC/UV					\$105.00
Caprolactam - Vapor	Soil/Water	EPA OR OSHA MODIFIED	HPLC/UV					\$105.00
Carbon Black	Soil/Water	EPA AND NIOSH MODIFIED	GRAV				Cassette requires stainless steel back up pad.	\$45.00
Carbon Disulfide	Soil/Water	EPA OR NIOSH MODIFIED	GC/MS				Ship with drying tube attached to charcoal tube, refrigerated.	\$75.00
Carbon Tetrachloride	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Cellosolve acetate	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Chlordane	Soil/Water	EPA OR OSHA MODIFIED	GC/ECD					\$70.00
Chlorethane	Soil/Water	EPA AND NIOSH MODIFIED	GC/FID					\$80.00
Chloride		300.0	IC	P/G	125ml	4°C		\$35.00
Chlorinated Pesticide Profile	Soil/Water	EPA OR OSHA MODIFIED	GC/ECD				See Industrial Hygiene Profiles for list of analytes	\$150.00
Chlorine	Soil/Water	EPA OR NIOSH MODIFIED	IC				Ag filter must be pre-cleaned.	\$75.00
Chlorobenzene	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Chlorodifluoromethane	Soil/Water	EPA OR NIOSH MODIFIED	GC/MS					\$75.00
Chloroform	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Chloroprene	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Chlorpyrifos (Dursban)	Soil/Water	EPA OR OSHA MODIFIED	GC/NPD or GC/ECD					\$75.00

Test Name	Matrix	Method	Analytical Technique	Collection Media	Minimum Amount	Preservative	Notes	Fee
Chromic Acid	Soil/Water	EPA OR NIOSH MODIFIED	COLOR				Filter must be placed in a glass vial immediately after sampling.	\$65.00
Chromium							See Metals Analyses Section.	
Chromium, Hexavalent (Chrome VI, Cr+6)	Water	7196	SPEC.	P/G	250 ml	4°C		\$40.00
Chrysene	Soil/Water	EPA OR NIOSH MODIFIED	HPLC					\$105.00
Citric Acid		IN-HOUSE	HPLC					\$105.00
Coal Tar Naphtha	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Coal Tar Pitch Volatiles	Soil/Water	EPA OR OSHA MODIFIED	GRAV				Place into vial after sampling and wrap vial with aluminum foil to protect from light. (Add \$115.00 if HPLC is required).	\$65.00
Coal Tar Pitch Volatiles Profile	Soil/Water	EPA OR OSHA MODIFIED	HPLC				See Industrial Hygiene Profiles for list of analytes and additional information	\$180.00
Cobalt							See Metals Analyses Section.	
Coke Oven Emissions	Soil/Water	EPA OR OSHA MODIFIED	GRAV				Place into vial after sampling and wrap vial with aluminum foil to protect from light. (Add \$115.00 if HPLC is required).	\$65.00
Conductance, Specific	Water	120.1	COND.	P/G	125 ml	4°C		\$6.00
Copper							See Metals Analyses Section.	
Copper (Drinking Water)	Water	220.1/220.2	AA/GFAA	P	125 ml (compliance 1000 ml)	HNO3		\$35.00
Corrosivity (pH)	Water	9045	pH METER	P/G	50 ml	4°C		\$8.00

Test Name	Matrix	Method	Analytical Technique	Collection Media	Minimum Amount	Preservative	Notes	Fee
Corrosivity (pH)	Soil	9045	pH METER	P/G	50 grams	4°C		\$8.00
Cresol	Soil/Water	EPA OR OSHA MODIFIED	HPLC/UV					\$105.00
Crotonaldehyde	Soil/Water	EPA OR NIOSH MODIFIED	HPLC/UV					\$105.00
Cumene	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Cyclohexane	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Cyclohexanol	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Cyclohexanone	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Cyclohexene	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
DDD	Soil/Water	EPA OR OSHA MODIFIED	GC/ECD					\$70.00
DDE	Soil/Water	EPA OR OSHA MODIFIED	GC/ECD					\$70.00
DDT	Soil/Water	EPA OR OSHA MODIFIED	GC/ECD					\$70.00
Decane	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Deltamethrin	Soil/Water	EPA OR OSHA MODIFIED	GC/ECD					\$70.00
Diacetone Alcohol	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Diazinon	Soil/Water	EPA OR OSHA MODIFIED	GC/NPD					\$75.00
Dibenz[a,h]anthracene	Soil/Water	EPA AND NIOSH MODIFIED	HPLC/UV					\$105.00
Dibutyl Phthalate	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Dichlorobenzene	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Dichlorobenzene	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00

Test Name	Matrix	Method	Analytical Technique	Collection Media	Minimum Amount	Preservative	Notes	Fee
Dichlorobenzene	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Dichlorodifluoromethane (R12)	Soil/Water	EPA OR NIOSH MODIFIED	GC/MS				Ship samples refrigerated by overnight delivery.	\$75.00
Dichloroethane	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Dichloroethane (Ethylene Dichloride)	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Dichlorofluoromethane (R21)	Soil/Water	EPA OR NIOSH MODIFIED	GC/MS					\$75.00
Dichlorotetrafluoroethane (R114)	Soil/Water	EPA OR NIOSH MODIFIED	GC/MS				Ship samples refrigerated by overnight delivery.	\$75.00
Dichlorvos (DDVP)	Soil/Water	EPA OR OSHA MODIFIED	GC/NPD					\$75.00
Diethanolamine	Soil/Water	EPA OR OSHA MODIFIED	HPLC/UV					\$105.00
Diethylamine	Soil/Water	EPA OR OSHA MODIFIED	HPLC/UV				Ship samples refrigerated by overnight delivery.	\$105.00
Diethylene Glycol	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Diethylene Glycol Monoethyl Ether	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$80.00
Diethylenetriamine (DETA)	Soil/Water	EPA OR OSHA MODIFIED	HPLC/UV					\$105.00
Diethylethanamine	Soil/Water	EPA OR OSHA MODIFIED	GC/FID				See Triethylamine (TEA)	\$105.00
Diisobutyl Ketone	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Diisocyanate Profile	Soil/Water	EPA OR OSHA MODIFIED	HPLC/UV				See Industrial Hygiene Profiles for list of analytes and additional information	\$180.00
Dimethyl Aniline	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00

Test Name	Matrix	Method	Analytical Technique	Collection Media	Minimum Amount	Preservative	Notes	Fee
Dimethyl Disulfide	Soil/Water	EPA OR OSHA MODIFIED	GC/MS					\$75.00
Dimethyl Sulfide	Soil/Water	EPA OR OSHA MODIFIED	GC/MS					\$75.00
Dimethylacetamide	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Dimethylamine	Soil/Water	EPA OR OSHA MODIFIED	HPLC				Ship samples refrigerated by overnight delivery.	\$105.00
Dimethylcyclohexane	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Dimethylformamide	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Dimethyl- <i>p</i> -Toluidine	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Dioxane	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Diphenyl	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID				See Biphenyl	\$60.00
Dipropylene Glycol Methyl Ether	Soil/Water	EPA OR OSHA MODIFIED	GC/FID					\$60.00
Divinylbenzene	Soil/Water	EPA OR OSHA MODIFIED	GC/FID					\$60.00
Dust, Respirable	Soil/Water	EPA OR OSHA MODIFIED	GRAV					\$45.00
Dust, Total	Soil/Water	EPA OR OSHA MODIFIED	GRAV					\$45.00
Endrin	Soil/Water	EPA OR OSHA MODIFIED	GC/ECD					\$70.00
Epichlorohydrin	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Ethanolamine	Soil/Water	EPA OR OSHA MODIFIED	HPLC/UV					\$105.00
Ethoxyethanol	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Ethoxyethyl Acetate	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00

Test Name	Matrix	Method	Analytical Technique	Collection Media	Minimum Amount	Preservative	Notes	Fee
Ethyl 2-Cyanoacrylate	Soil/Water	EPA OR OSHA MODIFIED	HPLC				Keep cold.	\$105.00
Ethyl Acetate	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID				Ship samples refrigerated by overnight delivery.	\$60.00
Ethyl Acrylate	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Ethyl Alcohol (Ethanol)	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Ethyl Benzene	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Ethyl Ether	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Ethylamine	Soil/Water	EPA OR OSHA MODIFIED	HPLC/UV					\$105.00
Ethylcyclohexane	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Ethylene Dibromide	Soil/Water	EPA OR NIOSH MODIFIED	GC/ECD				Ship in insulated container with dry ice.	\$70.00
Ethylene Glycol	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID				Ship samples refrigerated by overnight delivery.	\$60.00
Ethylene Oxide	Soil/Water	EPA OR OSHA MODIFIED	GC/ECD					\$110.00
Ethylene Oxide (Passive Monitor)	Soil/Water	EPA OR OSHA MODIFIED	GC/ECD					\$110.00
Ethylenediamine (EDA)	Soil/Water	EPA OR OSHA MODIFIED	HPLC/UV					\$105.00
Flashpoint	Liquid	ASTM D93-79		G/T	125 ml	4°C		\$65.00
Fluoranthene	Soil/Water	EPA OR NIOSH MODIFIED	HPLC/UV					\$105.00
Fluorene	Soil/Water	EPA OR NIOSH MODIFIED	HPLC/UV					\$105.00
Fluoride		300.0	IC	P/G	125ml	4°C		\$65.00
Fluorides, Gaseous	Soil/Water	EPA OR NIOSH MODIFIED	IC					\$75.00
Fluorides, Particulate	Soil/Water	EPA OR NIOSH MODIFIED	IC					\$75.00

Test Name	Matrix	Method	Analytical Technique	Collection Media	Minimum Amount	Preservative	Notes	Fee
Fluorides, Total	Soil/Water	EPA OR NIOSH MODIFIED	IC					\$75.00
Formaldehyde	Soil/Water	EPA OR NIOSH MODIFIED	HPLC/UV				Ship on ice if possible. Stable at room temperature for 4 days.	\$105.00
Formaldehyde	Soil/Water	EPA OR NIOSH MODIFIED	HPLC/UV				Collects formaldehyde in the 5 ppb to 5 ppm range	\$105.00
Formaldehyde	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$80.00
Formaldehyde	Soil/Water	EPA OR OSHA MODIFIED	GC/NPD				For STEL sampling, collect a 15 minute sample at 0.2 l/min.	\$75.00
Formic Acid	Soil/Water	EPA OR NIOSH MODIFIED	IC					\$75.00
Free Liquids Test	Soil	9095		P/G	200 grams	4°C		\$8.00
Furfural	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$75.00
Gasoline	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Glutaraldehyde	Soil/Water	EPA OR NIOSH MODIFIED	HPLC/UV					\$105.00
Glutaraldehyde	Soil/Water	EPA OR OSHA MODIFIED	HPLC/UV				Cover with foil during sampling and ship samples refrigerated by overnight delivery.	\$105.00
Glycidol	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID				Ship samples refrigerated by overnight delivery.	\$60.00
Gold							See Metals Analyses Section.	
Graphite	Soil/Water	EPA OR NIOSH MODIFIED	GRAV					\$45.00
Heptachlor	Soil/Water	EPA OR OSHA MODIFIED	GC/ECD					\$30.00
Heptane	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00

Test Name	Matrix	Method	Analytical Technique	Collection Media	Minimum Amount	Preservative	Notes	Fee
Herbicides, Chlorinated	Water	8151	GC/ECD	G/T	2x1000 ml	4°C	See Appendix C for list of analytes.	\$200.00
Herbicides, Chlorinated	Soil	8151	GC/ECD	G/T	100 grams	4°C	See Appendix C for list of analytes.	\$200.00
Hexamethylene Diisocyanate (HDI)	Soil/Water	EPA OR OSHA MODIFIED	HPLC/UV				Sample open faced and ship samples refrigerated by overnight delivery. For TWA sampling, sample at 0.21/min. for a succession of four hours.	\$105.00
Hexane	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Hexanone	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Hydrobromic Acid	Soil/Water	EPA OR NIOSH MODIFIED	IC					\$75.00
Hydrocarbons Profile	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID				See Industrial Hygiene Profiles for list of analytes	\$250.00
Hydrocarbons, Total		IN HOUSE	GC/FID				Quantitated as hexane.	\$60.00
Hydrochloric Acid	Soil/Water	EPA OR NIOSH MODIFIED	IC					\$75.00
Hydrofluoric Acid	Soil/Water	EPA OR NIOSH MODIFIED	IC					\$75.00
Hydrogen Sulfide	Soil/Water	EPA OR NIOSH MODIFIED	IC				Method recommends 0.2 LPM	\$75.00
Hydroquinone	Soil/Water	EPA OR NIOSH MODIFIED	HPLC/UV				Stabilize filter immediately after sampling by immersing filter in vial containing 1% acetic acid.	\$105.00
Ignitability	Liquid	7.1 (ASTM D93)		G/T	125 ml	4°C	R	\$35.00
Indeno[1,2,3-cd]pyrene	Soil/Water	EPA OR NIOSH MODIFIED	HPLC/UV					\$105.00

Test Name	Matrix	Method	Analytical Technique	Collection Media	Minimum Amount	Preservative	Notes	Fee
Inorganic Acid Profile	Soil/Water	EPA OR NIOSH MODIFIED	IC				See Industrial Hygiene Profiles for list of analytes	\$165.00
Iodine	Soil/Water	EPA OR NIOSH MODIFIED	IC					\$75.00
Iron							See Metals Analyses Section.	
Isoamyl Acetate	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Isoamyl Alcohol	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Isobutyl Acetate	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Isobutyl Alcohol	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Isophorone	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Isophorone Diisocyanate	Soil/Water	EPA OR OSHA MODIFIED	HPLC/UV				Ship cooled.	\$105.00
Isopropyl Acetate	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Isopropyl Alcohol	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Isopropyl Ether	Soil/Water	EPA AND NIOSH MODIFIED	GC/FID					\$90.00
Jet Fuel JP-4	Water	8015M	GC/FID	G/T	2x1000 ml	HCl optional, 4°C	5-day turn around time.	\$58
Jet Fuel JP-4	Soil	8015M	GC/FID	G/T	100 grams	4°C	5-day turn around time.	\$58
Kerosene	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID	CT				\$60.00
Lead							See Metals Analyses Section.	
Lead (Drinking Water)	Water	200.9	GFAA	P	125 ml (compliance 1000 ml)	HNO3		\$35.00

Test Name	Matrix	Method	Analytical Technique	Collection Media	Minimum Amount	Preservative	Notes	Fee
Lead Based Paint							See Industrial Hygiene Fee Schedule.	
Limonene	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Lithium							See Metals Analyses Section.	
Magnesium							See Metals Analyses Section.	
Malathion	Soil/Water	EPA OR OSHA MODIFIED	GC/NPD					\$75.00
Maleic Anhydride	Soil/Water	EPA OR OSHA MODIFIED	HPLC/UV				Cover with foil and ship samples refrigerated by overnight delivery.	\$105.00
Manganese							See Metals Analyses Section.	
Mercaptan, Ethyl	Soil/Water	EPA OR NIOSH MODIFIED	GC/MS				1 to 4 samples Protect samples from light.	\$105.00
Mercaptan, Ethyl	Soil/Water	EPA OR NIOSH MODIFIED	GC/MS				5 or more samples Protect samples from light.	\$80.00
Mercaptan, Methyl	Soil/Water	EPA OR NIOSH MODIFIED	GC/MS				1 to 4 samples Protect samples from light.	\$105.00
Mercaptan, Methyl	Soil/Water	EPA OR NIOSH MODIFIED	GC/MS				5 or more samples Protect samples from light.	\$80.00
Mercaptan, <i>n</i> -Butyl	Soil/Water	EPA OR NIOSH MODIFIED	GC/MS				1 to 4 samples Protect samples from light.	\$105.00
Mercaptan, <i>n</i> -Butyl	Soil/Water	EPA OR NIOSH MODIFIED	GC/MS				5 or more samples Protect samples from light.	\$80.00
Mercaptans (Methyl, Ethyl and <i>n</i> -Butyl)	Soil/Water	EPA OR NIOSH MODIFIED	GC/MS				Protect samples from light.	\$120.00
Mercury							See Metals Analyses Section.	

Test Name	Matrix	Method	Analytical Technique	Collection Media	Minimum Amount	Preservative	Notes	Fee
Methacrylic Acid	Soil/Water	EPA OR OSHA MODIFIED	HPLC/UV					\$105.00
Methanol	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID				See Methyl Alcohol.	
Methoxyethanol	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Methoxyethyl Acetate	Soil/Water	EPA OR OSHA MODIFIED	GC/FID					\$60.00
Methyl & Ethyl Methacrylate	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID				Ship samples refrigerated by overnight delivery.	\$60.00
Methyl (n-amyl) Ketone	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Methyl Acetate	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID				Ship samples refrigerated by overnight delivery.	\$60.00
Methyl Acrylate	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Methyl Alcohol	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Methyl Cellosolve	Soil/Water	EPA OR OSHA MODIFIED	GC/FID				See 2-Methoxyethanol.	
Methyl Cellosolve Acetate	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$75.00
Methyl Chloride	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID				Ship samples refrigerated by overnight delivery.	\$70.00
Methyl Chloroform (1,1,1 Trichloroethane)	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Methyl Cyclohexane	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Methyl Cyclohexanone	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$80.00
Methyl Ethyl Ketone (2-Butanone)	Soil/Water	EPA AND NIOSH MODIFIED	GC/FID					\$60.00
Methyl Iodide	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00

Test Name	Matrix	Method	Analytical Technique	Collection Media	Minimum Amount	Preservative	Notes	Fee
Methyl Isobutyl Carbinol	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Methyl Isobutyl Ketone	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Methyl Tert-Butyl Ether (MTBE)	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Methyl-2-pyrrolidinone	Soil/Water	EPA OR OSHA MODIFIED	GC/FID					\$60.00
Methylamine	Soil/Water	EPA OR OSHA MODIFIED	HPLC/UV					\$105.00
Methylene Bisphenyl Isocyanate (MDI)	Soil/Water	EPA OR OSHA MODIFIED	HPLC/UV				Sample open faced and ship samples refrigerated by overnight delivery.	\$105.00
Methylene Chloride	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Methylene Dianiline (MDA)	Soil/Water	EPA OR OSHA MODIFIED	GC/ECD				After sampling transfer filter to glass vial containing 2 ml deionized water.	\$70.00
Methylstyrene	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Methylstyrene	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Mineral Spirits	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Molybdenum							See Metals Analyses Section.	
Morpholine	Soil/Water	EPA OR OSHA MODIFIED	GC/FID					\$75.00
Naphtha (VM + P)	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Napthalene							See Underground Storage Tank Parameters.	
Nickel							See Metals Analyses Section.	

Test Name	Matrix	Method	Analytical Technique	Collection Media	Minimum Amount	Preservative	Notes	Fee
Nicotine	Soil/Water	EPA OR NIOSH MODIFIED	GC/NPD					\$60.00
Nitrate		300.0	IC	P/G	125ml	4°C		\$35.00
Nitric Acid	Soil/Water	EPA OR NIOSH MODIFIED	IC					\$75.00
Nitric Oxide	Soil/Water	EPA OR OSHA MODIFIED	IC					\$75.00
Nitrite		300.0	IC	P/G	125ml	4°C		\$35.00
Nitrobenzene	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Nitroethane	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Nitrogen Dioxide	Soil/Water	EPA OR OSHA MODIFIED	IC					\$75.00
Octane	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Oil And Grease	Water	1664	GC/MS	G	1 litre	HCl, 4°C	R	\$50.00
Oil Mist, Mineral	Soil/Water	EPA OR NIOSH MODIFIED	FTIR				Ship a 10ml bulk sample separately.	\$85.00
Organic Solvent Profile	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID				See Industrial Hygiene Profiles for list of analytes	\$165.00
Organophosphorous Pesticides Profile	Soil/Water	EPA OR OSHA MODIFIED	GC/NPD				See Industrial Hygiene Profiles for list of analytes	\$130.00
Oxalic Acid	Soil/Water	EPA OR OSHA MODIFIED	HPLC/UV					\$105.00
PAHs (Polynuclear Aromatic Hydrocarbons)	Water	8270	GC/MS	G/T	2x1000 ml	4°C	See Appendix A for list of analytes.	\$175.00
PAHs (Polynuclear Aromatic Hydrocarbons)	Soil	8270	GC/MS	G/T	100 grams	4°C	See Appendix A for list of analytes.	\$175.00
Paint Filter Liquids Test							See Free Liquids Test.	
Paraffin Wax	Soil/Water	EPA OR OSHA MODIFIED	GC/FID					\$60.00
Parathion	Soil/Water	EPA OR OSHA MODIFIED	GC/NPD					\$75.00

Test Name	Matrix	Method	Analytical Technique	Collection Media	Minimum Amount	Preservative	Notes	Fee
PCBs	Water	608/8082	GC/ECD	G/T	2x1000ml	4°C Na2S2O3		\$65.00
PCBs	Soil	8082	GC/ECD	G/T	50 grams	4°C		\$65.00
PCBs	Oil	600/4-810-045	GC/ECD	G/T	5 grams			\$65.00
PCBs	Wipe	8082	GC/ECD	G/T				\$65.00
Pentachloroethane	Soil/Water	EPA OR NIOSH MODIFIED	GC/ECD					\$90.00
Pentachlorophenol	Soil/Water	EPA OR OSHA MODIFIED	HPLC/UV					\$105.00
Pentane	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Pentanone (Methyl Propyl Ketone)	Soil/Water	EPA AND NIOSH MODIFIED	GC/FID					\$60.00
Perchloroethylene	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Pesticides, Organochlorine	Water	8081	GC/ECD	G/T	2x1000ml	4°C	See Appendix C for list of analytes.	\$120.00
Pesticides, Organochlorine	Soil	8081	GC/ECD	G/T	100g	4°C	See Appendix C for list of analytes.	\$120.00
Pesticides, Organochlorine	Wipe	8081M	GC/ECD	G/T	-	-	See Appendix C for list of analytes.	\$85.00
Petroleum Ether	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Petroleum Hydrocarbons							See TPH.	
Petroleum Hydrocarbons, Fingerprint	Oil	8015M	GC	G/T	20 grams			\$65.00
Petroleum Naphtha	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
pH	Water	150.1	pH METER	P/G	125 ml	4°C		\$8.00
pH	Soil	9045	pH METER	P/G	20 grams	4°C		\$8.00
Phenanthrene	Soil/Water	EPA OR NIOSH MODIFIED	HPLC/UV					\$105.00
Phenols							See Acid Extractables.	
Phenyl Ether	Soil/Water	EPA AND NIOSH MODIFIED	GC/FID					\$60.00
Phenyl Glycidyl Ether	Soil/Water	EPA AND NIOSH MODIFIED	GC/FID					\$60.00

Test Name	Matrix	Method	Analytical Technique	Collection Media	Minimum Amount	Preservative	Notes	Fee
Phosphoric Acid	Soil/Water	EPA AND NIOSH MODIFIED	IC					\$75.00
Phosphorus							See Metals Analyses Section.	
Phthalic Anhydride	Soil/Water	EPA OR OSHA MODIFIED	HPLC/UV				Call Lab for instructions on media. Requires treated GFF to be prepared at lab before shipping.	\$105.00
Platinum							See Metals Analyses Section.	
PM10		40CFR50	Grav./AA	QFF				\$36.00
PM10		40CFR50	Grav.	QFF				\$24.00
PNA's							See PAHs.	
Polynuclear Aromatic Hydrocarbon							See PAHs.	
Potassium							See Metals Analyses Section.	
Priority Pollutant Metals Profile							See Metals Analyses Section.	
Propylene Glycol Methyl Ether Acetate	Soil/Water	EPA OR OSHA MODIFIED	GC/FID					\$60.00
Propyl Acetate	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Propyl Alcohol	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Propylene Glycol	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID				Ship in insulated container with dry ice.	\$60.00
Propylene Glycol Methyl Ether	Soil/Water	EPA OR OSHA MODIFIED	GC/FID					\$60.00
Propylene Glycol Monomethyl Ether	Soil/Water	EPA OR OSHA MODIFIED	GC/FID					\$60.00
Propylene Glycol Propyl Ether	Soil/Water	EPA OR OSHA MODIFIED	GC/FID					\$60.00
Propylene Oxide	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Pyrene	Soil/Water	EPA OR NIOSH MODIFIED	HPLC/UV					\$105.00

Test Name	Matrix	Method	Analytical Technique	Collection Media	Minimum Amount	Preservative	Notes	Fee
Pyrethrum	Soil/Water	EPA OR NIOSH MODIFIED	HPLC					\$105.00
Pyrethrum	Soil/Water	EPA AND OSHA MODIFIED	GC/ECD					\$70.00
Pyridine	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
RCRA Metals Profile							See Metals Analyses Section.	
Reactivity	Soil	7.2	Spec/Titr	G/T	100 grams	4°C	R	\$65.00
Rubber Solvent	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Selenium							See Metals Analyses Section.	
Silica (Amorphous)	Soil/Water	EPA OR NIOSH MODIFIED	XRD				Includes dust. R	\$110.00
Silica (Crystalline)	Soil/Water	EPA OR NIOSH MODIFIED	XRD				Includes dust. R	\$120.00
Silica (Crystalline)	Soil/Water	EPA OR NIOSH MODIFIED	FTIR				Does not include dust.	\$85.00
Silica in Coal Mine Dust	Soil/Water	EPA OR NIOSH MODIFIED	FTIR					\$85.00
Silver							See Metals Analyses Section.	
Sodium							See Metals Analyses Section.	
Solder Operations Profile	Soil/Water	EPA OR NIOSH MODIFIED	ICP				See Industrial Hygiene Profiles for list of analytes	\$115.00
Solids, Total Suspended		160.2					See TSS.	
Stoddard Solvent	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Strontium							See Metals Analyses Section.	
Styrene	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Sulfate		300.0	IC	P/G	125ml	4°C		\$35.00

Test Name	Matrix	Method	Analytical Technique	Collection Media	Minimum Amount	Preservative	Notes	Fee
Sulfur Dioxide	Soil/Water	EPA OR NIOSH MODIFIED	IC					\$75.00
Sulfur Dioxide	Soil/Water	EPA OR OSHA MODIFIED	IC					\$75.00
Sulfuric Acid	Soil/Water	EPA AND NIOSH MODIFIED	IC					\$75.00
SVOCS (Semi-volatile Organic Compounds)	Water	8270	GC/MS	G/T	1 litre	4°C	See Appendix A for list of analytes.	\$270.00
SVOCS (Semi-volatile Organic Compounds)	Soil	8270	GC/MS	G/T	50 grams	4°C	See Appendix A for list of analytes.	\$270.00
TAL Metals							See Metals Analyses Section.	\$225.00
TCLP (Toxicity Characteristic Leaching Procedure) - Full Profile	Soil	1311	VARIOUS	G/T	500 grams	4°C	See Appendix D for list of analytes.	\$870.00

Test Name	Matrix	Method	Analytical Technique	Collection Media	Minimum Amount	Preservative	Notes	Fee
TCLP (Toxicity Characteristic Leaching Procedure) - Full Profile	Waste	1311	VARIOUS	G/T	500 grams	4°C	For TCLP analyses of non-water samples, an extraction procedure is needed before the analytical procedure can be performed. For each sample only one extraction fee will be invoiced when requesting analysis for more than one of the following TCLP analyses: metals, semi-volatiles, and/or pesticides-herbicides. TCLP for volatiles requires a separate volatile (ZHE) extraction. For additional information see Waste Characterization Schedule.	\$870.00
TCLP Extraction For Metals/Semi-Volatiles	Soil	1311		G/T	500 grams	4°C		No Charge
TCLP Extraction For Metals/Semi-Volatiles	Waste	1311		G/T	500 grams	4°C		No Charge
TCLP Extraction For Volatiles - Zero Headspace Extraction (ZHE)	Soil	1311		G/T	50 grams	4°C		No Charge
TCLP Extraction For Volatiles - Zero Headspace Extraction (ZHE)	Waste	1311		G/T	50 grams	4°C		No Charge
TCLP Herbicide Analysis	TCLP Extr	8151	GC/ECD	G/T	2x1000 ml	4°C		\$200.00

Test Name	Matrix	Method	Analytical Technique	Collection Media	Minimum Amount	Preservative	Notes	Fee
TCLP Herbicide Analysis	Water	8151	GC/ECD	G/T	2x1000 ml	4°C		\$200.00
TCLP Lead only Analysis (includes extraction)	Soil	1311/7420	AA	P	200 grams	4°C		\$35.00
TCLP Lead only Analysis (includes extraction)	Water	1311/7420	AA	P	125 ml	4°C		\$35.00
TCLP Metals (RCRA) Analysis (includes extraction)	Liquid/Solid Waste	1311/6010/ 7000	ICP/CVAA/ AA		500 ml/200 grams	4°C		\$120.00
TCLP Pesticide Analysis	TCLP Extr	8081	GC/ECD	G/T	2x1000 ml	4°C		\$120.00
TCLP Pesticide Analysis	Water	8081	GC/ECD	G/T	2x1000 ml	4°C		\$120.00
TCLP Semi-Volatiles Analysis	TCLP Extr	8270	GC/MS	G/T	2x1000 ml	4°C		\$270.00
TCLP Semi-Volatiles Analysis	Water	8270	GC/MS	G/T	2x1000 ml	4°C		\$270.00
TCLP Volatiles Analysis	TCLP Extr	8260	GC/MS	G/T	3x40 ml	4°C		\$160.00
TCLP Volatiles Analysis	Water	8260	GC/MS	G/T	3x40 ml	4°C		\$160.00
TCLP Volatiles Analysis	Soil	8260	GC/MS	G/T	50 grams	4°C		\$160.00
Tellurium	Soil/Water	EPA OR OSHA MODIFIED	ICP					\$45.00
Tetrabromoethane	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Tetrachloro-1,2-Difluoroethane (Freon 112)	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Tetrachloro-2,2-Difluoroethane (Freon 112A)	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Tetrachlorobenzene	Soil/Water	EPA OR NIOSH MODIFIED	GC/ECD					\$70.00
Tetrachloroethane	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Tetrachloroethane	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00

Test Name	Matrix	Method	Analytical Technique	Collection Media	Minimum Amount	Preservative	Notes	Fee
Tetrachloroethylene	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Tetrahydrofuran	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Thallium							See Metals Analyses Section.	
Tin	Soil/Water	EPA OR NIOSH MODIFIED	ICP					\$45.00
Tin	Soil/Water	EPA OR OSHA MODIFIED	ICP					\$45.00
Titanium							See Metals Analyses Section.	
Titanium	Soil/Water	EPA OR NIOSH MODIFIED	ICP					\$45.00
Titanium Dioxide	Soil/Water	EPA OR NIOSH MODIFIED	GRAV					\$45.00
Toluene	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Toluene-2,4-Diisocyanate (TDI)	Soil/Water	EPA OR OSHA MODIFIED	HPLC/UV				Sample open faced and ship samples refrigerated by overnight delivery.	\$105.00
Toluene-2,6-Diisocyanate	Soil/Water	EPA OR OSHA MODIFIED	HPLC/UV				Sample open faced and ship samples refrigerated by overnight delivery.	\$105.00
Toluidine	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Total Hydrocarbons as Hexane	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Toxic Metals Profile	Soil/Water	EPA OR NIOSH MODIFIED	ICP				See Industrial Hygiene Profiles for list of analytes	\$95.00

Test Name	Matrix	Method	Analytical Technique	Collection Media	Minimum Amount	Preservative	Notes	Fee
TPH By IR (Total Recoverable Petroleum Hydrocarbons By IR)	Water	418.1	IR	G/T	2x1000 ml	HCl, 4°C	5-day turn around time. <i>NOTE: Price subject to change</i>	\$65.00
TPH By IR (Total Recoverable Petroleum Hydrocarbons By IR)	Soil	418.1M	IR	G/T	100 grams	4°C	5-day turn around time. <i>NOTE: Price subject to change</i>	\$65.00
TPH-DRO (Total Petroleum Hydrocarbons, Diesel Range Organics By GC)	Water	8015M	GC	G/T	2x1000 ml	HCl optional, 4°C	5-day turn around time.	\$58.00
TPH-DRO (Total Petroleum Hydrocarbons, Diesel Range Organics By GC)	Soil	8015M	GC	G/T	100 g	4°C	5-day turn around time.	\$58.00
TPH-GRO (Total Petroleum Hydrocarbons, Gasoline Range Organics By GC)	Water	8015M	P&T/GC	G/T	2x40 ml	HCl, 4°C	5-day turn around time.	\$50.00
TPH-GRO (Total Petroleum Hydrocarbons, Gasoline Range Organics By GC)	Soil	8015M	P&T/GC	G/T	50 grams	4°C	5-day turn around time.	\$50.00
Tributyl Phosphate	Soil/Water	EPA OR NIOSH MODIFIED	GC/MS					\$80.00
Trichloro-1,2,2-Trifluoroethane (Freon 113)	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Trichlorobenzene	Soil/Water	EPA OR NIOSH MODIFIED	GC/ECD					\$70.00

Test Name	Matrix	Method	Analytical Technique	Collection Media	Minimum Amount	Preservative	Notes	Fee
Trichlorobenzene	Soil/Water	EPA OR NIOSH MODIFIED	GC/ECD					\$70.00
Trichlorobenzene	Soil/Water	EPA OR NIOSH MODIFIED	GC/ECD					\$70.00
Trichloroethane	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Trichloroethane (Methyl Chloroform)	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Trichloroethylene	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Trichloropropane	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Triethanolamine	Soil/Water	EPA OR OSHA MODIFIED	GC/FID					\$60.00
Triethylamine (TEA)	Soil/Water	EPA OR OSHA MODIFIED	GC/FID				N,N-Diethylethanamine	\$105.00
Triethylene Glycol	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Triethylenetetramine	Soil/Water	EPA OR OSHA MODIFIED	HPLC/UV					\$105.00
Trimellitic Anhydride (TMA)	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$70.00
Trimethylbenzene	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Trimethylbenzene	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Trimethylbenzene	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
TSP		40CFR50	Grav.	GFF				\$24.00
TSS (Total Suspended Solids)	Water	SM 2540D	GRAV.	P/G	1000 ml	4°C		\$14.00
Tungsten							See Metals Analyses Section.	
Turbidity	Water	180.1	TURB.	P/G	125 ml	4°C		\$6.00
Turpentine	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Vanadium							See Metals Analyses Section.	

Test Name	Matrix	Method	Analytical Technique	Collection Media	Minimum Amount	Preservative	Notes	Fee
Vanadium Pentoxide	Soil/Water	EPA OR NIOSH MODIFIED	ICP					\$45.00
Vinyl Acetate	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Vinyl Bromide	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID				Ship in insulated container with dry ice.	\$70.00
Vinyl Chloride	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Vinyl Toluene	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Vinylidene Chloride	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
VOCS (Volatile Organic Compounds)	Water	624	P&T/GC/MS	G/T	3x40 ml	4°C, HCL	See Appendix B for list of analytes. Unpreserved, 14 day holding time.	\$160.00
VOCS (Volatile Organic Compounds)	Water	8260	P&T/GC/MS	G/T	3x40 ml	HCl, 4°C	See Appendix B for list of analytes. Unpreserved, 14 day holding time.	\$160.00
VOCS (Volatile Organic Compounds)	Soil	8260	P&T/GC/MS	G/T	50 grams	4°C	See Appendix B for list of analytes. No headspace in sampling container.	\$160.00
Welding Fume Metals Profile	Soil/Water	EPA OR NIOSH MODIFIED	ICP, AA				See Industrial Hygiene Profiles for list of analytes	\$145.00
Wood Dust	Soil/Water	EPA OR NIOSH MODIFIED	GRAV					\$45.00
Xylene	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Xylene	Soil/Water	EPA OR NIOSH MODIFIED	GC/FID					\$60.00
Zinc							See Metals Analyses Section.	
Zirconium	Soil/Water	EPA OR NIOSH MODIFIED	ICP					\$45.00



Wet Chemistry Tests

Test Name	Collection Media	Method	Matrix	Minimum Amount	Preservative	Analytical Technique	Fee
-----------	------------------	--------	--------	----------------	--------------	----------------------	-----

Alkalinity	P	Lachat 10-303-31-D, EPA 310.1	Water	500ml	4°C	Lachat	\$12.00
Ammonia	P	Lachat 10-107-06-1-X, EPA 350.1	Water	250ml	H2SO4	Lachat	\$30.00
CBOD	P	SM 5210-B - 9014, EPA 405.1	Water	1000ml	4°C	Lachat	\$30.00
BOD	P	SM 5210-B - 9014, EPA 405.1	Water	1000ml	4°C	Lachat	\$30.00
Bromide	P/G	Lachat 10-510-00-1-E, EPA 300.0	Water	125ml	4°C	IC	\$20.00
Chloride	P/G	EPA 325.2	Water	125ml	4°C	IC	\$12.00
COD	P	HACH 8000 - 2097, 410.4/5220D	Water	250ml	H2SO4	Lachat	\$16.00
Color	P	Lachat 10-308-00-1-C, EPA 110.2	Water	125ml	None	Lachat	\$12.00
Corrosivity	P/G	EPA 150.2, 9045	Water	50ml	4°C	pH METER	\$16.00
Conductivity	P	EPA 120.1	Water	50ml	4°C	COND.	\$12.00
Hardness	P	SM 2340B, EPA 130.1	Water	250ml	None	HNO3	\$12.00
Nitrate (as N)	P/G	Lachat 10-510-00-1-E, EPA 300.0	Water	125ml	4°C	IC	\$12.00
Nitrite (as N)	P/G	Lachat 10-510-00-1-E, EPA 300.0	Water	125ml	4°C	IC	\$12.00
Nitrate plus Nitrite	P/G	Lachat 10-510-00-1-E, EPA 300.0	Water	125ml	4°C	IC	\$12.00
Oil and Grease	P/G	EPA 1664, 413.1	Water	1000ml	HCl, 4°C	GC/MS	\$55.00
Organic Nitrogen	P	Lachat 10-107-06-2 - 2485, EPA 351.2/350.1	Water	250ml	4°C	Lachat	\$30.00
Orthophosphate (as P)	P	Lachat 10-510-00-1-E, EPA 365.2	Water	250ml	None	Lachat	\$18.00
pH	P/G	EPA 150.1	Water	125ml	4°C	pH METER	\$12.00
Phenols	P/G	Lachat 10-210-00-1-A - 1243, 8270	Water	100g	4°C	GC/MS	\$150.00
Phosphate	P	Lachat 10-510-00-1-E, EPA 365.2	Water	250ml	None	Lachat	\$55.00

Reactive Cyanide	P	Lachat 10-204-00-1-X, EPA 9012	Water	1000ml	None	Lachat	\$55.00
Reactive Sulfide	P	Lachat 10-116-29-1-X, EPA 9030	Water	1000ml	None	Lachat	\$55.00
Silica, dissolved	P	EPA 370.1	Water	1000ml	None	GRAV.	\$28.00
Specific Conductance	P/G	SM18-21 2510B (97) - 9071, EPA 120.1 Rev. 1982	Water	125ml	4°C	COND.	\$12.00
Sulfate (as SO4)	P/G	Lachat 10-510-00-1-E, EPA 300.0	Water	125ml	4°C	IC	\$12.00
Sulfide	P	Lachat 10-116-29-1-X, EPA 376.1	Water	2x250ml	NaOH+ZnAc	Lachat	\$22.00
Total Dissolved Solids (TDS)	P	SM18-21 2540C - 9064, EPA 160.1	Water	500ml	4°C	GRAV.	\$12.00
Total Kjeldahl Nitrogen (TKN)	P	Lachat 10-107-06-2 - 2485, EPA 353.3	Water	250ml	H2SO4	Lachat	\$28.00
Total Nitrogen	P	Lachat 10-107-06-2 - 2485, Calculation	Water	250ml	4°C	Lachat	\$12.00
Total Cyanide	P	Lachat 10-204-00-1-X - 2484, EPA 335.2	Water	250ml	NaOH	Lachat	\$30.00
Total Phosphorus	P/G	EPA 365.2, 6010	Water	100g	Nitric Acid	ICP	\$16.00
Total Fluoride	P/G	Lachat 10-510-00-1-E, EPA 340.2	Water	125ml	4°C	IC	\$12.00
Total Solids (TS)	P	SM-18-21-2540B - 9063, EPA 160.3	Water	500ml	4°C	GRAV.	\$12.00
Total Suspended Solids (TSS)	P/G	SM18-21 2540D - 9065, EPA 160.2	Water	1000ml	4°C	GRAV.	\$10.00
Total Volatile Solids (TVS)	P	EPA 160.4	Water	500ml	4°C	GRAV.	\$10.00
Turbidity	P/G	EPA 180.1	Water	125ml	4°C	TURB.	\$8.00



**SCHNEIDER LABORATORIES
GLOBAL, INCORPORATED**
analyzing the world

Appendix

A



SEMI-VOLATILE ANALYTES BY MASS SPECTROMETRY

(Compounds reported in a standard profile)

Method 8270

Price: \$270.00

ANALYTE	8270	625	PPL ¹	PAHs ²	A ³	B/N ⁴
Acenaphthene	X	X	X	X		X
Acenaphthylene	X	X	X	X		X
Aniline	X					X
Anthracene	X	X	X	X		X
Azobenzene		X				X
Benzidine	X	X	X			X
Benzo(a)anthracene	X	X	X	X		X
Benzo(a)pyrene	X	X	X	X		X
Benzo(b)fluoranthene	X	X	X	X		X
Benzo(g,h,i)perylene	X	X	X	X		X
Benzo(k)fluoranthene	X	X	X	X		X
Benzoic acid	X				X	
Benzyl alcohol	X					X
Bis (2-chloroethoxy) methane	X	X	X			X
Bis (2-chloroethyl) ether	X	X	X			X
Bis (2-chloroisopropyl) ether	X	X	X			X
Bis (2-ethylhexyl) phthalate	X	X	X			X
4- Bromophenyl phenyl ether	X	X	X			X
Butylbenzyl phthalate	X	X	X			X
Carbazol	X					X
4- Chloro-3-methylphenol	X	X	X		X	
4- Chloroaniline	X					X
2- Chloronaphthalene	X	X	X			X
2- Chlorophenol	X	X	X		X	
4- Chlorophenyl phenyl ether	X	X	X			X
Chrysene	X	X	X	X		X
Dibenz(a,h)anthracene	X	X	X	X		X
Dibenzofuran	X					X
Dibutyl phthalate	X	X	X			X
1,2- Dichlorobenzene	X					X
1,3- Dichlorobenzene	X					X
1,4- Dichlorobenzene	X					X
3,3'- Dichlorobenzidine	X	X	X			X
2,4- Dichlorophenol	X	X	X		X	
Diethyl phthalate	X	X	X			X
Dimethyl phthalate	X	X	X			X
2,4- Dimethylphenol	X	X	X		X	
4,6- Dinitro-2-methylphenol	X	X	X		X	
2,4- Dinitrophenol	X	X	X		X	
2,4- Dinitrotoluene	X	X	X			X
2,6- Dinitrotoluene	X	X	X			X
Di-n-octyl phthalate	X	X	X			X
Fluoranthene	X	X	X	X		X
Fluorene	X	X	X	X		X

ANALYTE	8270	625	PPL ¹	PAHs ²	A ³	B/N ⁴
2- Fluorobiphenyl	X	X	X			X
2- Fluorophenol	X	X	X		X	
Hexachlorobenzene	X	X	X			X
Hexachlorobutadiene	X	X	X			X
Hexachlorocyclopentadiene	X	X	X			X
Hexachloroethane	X	X	X			X
Indeno(1,2,3-cd)pyrene	X	X	X	X		X
Isophorone	X	X	X			X
2- Methyl phenol	X				X	
4- Methyl phenol	X				X	
2- Methyl naphthalene	X					X
Naphthalene	X	X	X	X		X
2- Nitroaniline	X					X
3- Nitroaniline	X					X
4- Nitroaniline	X					X
Nitrobenzene	X	X	X			X
2- Nitrophenol	X	X	X		X	
4- Nitrophenol	X	X	X		X	
<i>N</i> - Nitrosodimethylamine	X	X	X			X
<i>N</i> - Nitroso-di- <i>n</i> -propylamine	X	X	X			X
<i>N</i> - Nitrosodiphenylamine	X	X	X			X
Pentachlorophenol	X	X	X		X	
Phenanthrene	X	X	X	X		X
Phenol	X	X	X		X	
Pyrene	X	X	X	X		X
Pyridine	X					X
2,4,6- Tribromophenol	X	X	X		X	
1,2,4- Trichlorobenzene	X	X	X			X
2,4,5- Trichlorophenol	X				X	
2,4,6- Trichlorophenol	X	X	X		X	

1. PPL - Priority Pollutant List
2. PAHs - Polyaromatic Hydrocarbons
3. A - Acid Semi-volatile fraction
4. B/N - Base/Neutral Semi-volatile fraction



**SCHNEIDER LABORATORIES
GLOBAL, INCORPORATED**
analyzing the world

Appendix

B



VOLATILE ANALYTES

(Compounds reported in a standard profile)

ANALYTE	8021	8260	624
Acetone		X	X
Benzene	X	X	X
Bromobenzene		X	
Bromochloromethane		X	
Bromodichloromethane		X	X
Bromoform		X	X
Bromomethane		X	X
<i>n</i> - Butylbenzene		X	
<i>sec</i> - Butylbenzene		X	
<i>tert</i> - Butylbenzene		X	
Carbon disulfide		X	X
Carbon tetrachloride		X	X
Chlorobenzene		X	X
Chloroethane		X	X
2- Chloroethylvinyl ether			X
Chloroform		X	X
Chloromethane		X	X
2- Chlorotoluene		X	
4- Chlorotoluene		X	
1,2- Dibromo-3-chloropropane		X	
Dibromochloromethane		X	X
1,2- Dibromoethane		X	
Dibromofluoromethane		X	X
Dibromomethane		X	
1,2- Dichlorobenzene		X	X
1,3- Dichlorobenzene		X	X
1,4- Dichlorobenzene		X	X
Dichlorodifluoromethane		X	
1,1- Dichloroethane		X	X
1,2- Dichloroethane		X	X
1,1- Dichloroethene		X	X
<i>cis</i> -1,2- Dichloroethene		X	
<i>trans</i> -1,2- Dichloroethene		X	X
1,2- Dichloropropane		X	X
1,3- Dichloropropane		X	
2,2- Dichloropropane		X	
1,1- Dichloropropene		X	
<i>cis</i> -1,3- Dichloropropene			X
<i>trans</i> -1,3- Dichloropropene			X
Ethylbenzene	X	X	X
Hexachlorobutadiene		X	
2- Hexanone		X	X
Isopropylbenzene		X	
<i>p</i> - Isopropyltoluene		X	
Iodomethane		X	X
Methyl ethyl ketone		X	X

ANALYTE	8021	8260	624
Methyl isobutyl ketone		X	X
Methyl t-butyl ether (MTBE)	X	X	X
4- Methyl-2-pentanone		X	
Methylene Chloride		X	X
Naphthalene	X	X	
<i>n</i> - Propylbenzene		X	
Styrene		X	
1,1,1,2- Tetrachloroethane		X	
1,1,2,2- Tetrachloroethane		X	X
Tetrachloroethene		X	X
Toluene	X	X	X
1,2,3- Trichlorobenzene		X	
1,2,4- Trichlorobenzene		X	
1,1,1- Trichloroethane		X	X
1,1,2- Trichloroethane		X	X
Trichloroethene		X	X
Trichlorofluoromethane		X	X
1,2,3- Trichloropropane		X	
1,2,4- Trimethylbenzene		X	
1,3,5- Trimethylbenzene		X	
Vinyl acetate		X	X
Vinyl chloride		X	X
<i>m</i> - <i>p</i> - Xylene	X	X	
<i>o</i> - Xylene	X	X	
<i>p</i> - Xylene	X	X	



**SCHNEIDER LABORATORIES
GLOBAL, INCORPORATED**
analyzing the world

Appendix

C



PCB / PESTICIDE AND HERBICIDE ANALYTES

(Compounds reported in a standard profile)

ANALYTE	Pesticides	Pesticides	Herbicides	PCBs
	608*	8081	8151	8082
Aldrin	X	X		
alpha-BHC	X	X		
beta-BHC	X	X		
delta-BHC	X	X		
gamma-BHC (Lindane)	X	X		
α - Chlordane	X	X		
g - Chlordane	X	X		
Chlordane	X	X		
4,4'- DDD	X	X		
4,4'- DDE	X	X		
4,4'- DDT	X	X		
Dieldrin	X	X		
Endosulfan I	X	X		
Endosulfan II	X	X		
Endosulfan sulfate	X	X		
Endrin	X	X		
Endrin aldehyde	X	X		
Endrin ketone	X	X		
Heptachlor	X	X		
Heptachlor epoxide	X	X		
Methoxychlor	X	X		
Toxaphene	X	X		
Aroclor – 1016	X			X
Aroclor – 1221	X			X
Aroclor – 1232	X			X
Aroclor – 1242	X			X
Aroclor – 1248	X			X
Aroclor – 1254	X			X
Aroclor – 1260	X			X

Nitrate/Nitrate

Total PO4



**SCHNEIDER LABORATORIES
GLOBAL, INCORPORATED**
analyzing the world

Appendix

D



TCLP PARAMETERS AND REGULATORY LIMITS

	PARAMETER	REGULATORY LIMITS (mg/L)
Metals	Arsenic	5.0
	Barium	100
	Cadmium	1.0
	Chromium	5.0
	Lead	5.0
	Mercury	0.2
	Selenium	1.0
	Silver	5.0
Volatiles	Benzene	0.5
	Carbon Tetrachloride	0.5
	Chlorobenzene	100
	Chloroform	6.0
	1,4- Dichlorobenzene	7.5
	1,2- Dichloroethane	0.5
	1,1- Dichloroethene	0.7
	2- Butanone (MEK)	200
	Tetrachloroethene	0.7
	Trichloroethene	0.5
Vinyl Chloride	0.2	
Semi-Volatiles	2,4- Dinitrotoluene	0.13
	Hexachlorobenzene	0.13
	Hexachlorobutadiene	0.5
	Hexachloroethane	3.0
	2- Methylphenol	200
	3-,4- Methylphenol	400
	Nitrobenzene	2.0
	Pentachlorophenol	100
	Pyridine	5.0
	2,4,5- Trichlorophenol	400
2,4,6- Trichlorophenol	2.0	
Pesticides	Chlordane	0.03
	Endrin	0.02
	Heptachlor	0.008
	Heptachlor Epoxide	0.008
	Lindane	0.4
	Methoxychlor	10.0
	Toxaphene	0.5
Herbicides	2,4- D	10
	2,4,5- TP (Silvex)	1.0



**SCHNEIDER LABORATORIES
GLOBAL, INCORPORATED**
analyzing the world

Appendix

E



AQUEOUS ORGANICS PRESERVATIVE AND SAMPLE CONTAINER CHART

Analysis		# of Containers	Preservative
DRO	1 Liter Amber ¹	2	Cool 4°C/optional pH<2, HCl
8270/625	1 Liter Amber ¹	2	Cool 4°C
PCB/Pesticides	1 Liter Amber ¹	2	Cool 4°C
Herbicides	1 Liter Amber ¹	2	Cool 4°C
8260/624	40ml VOA Vial ²	3	Cool 4°C/pH<2, HCl
8020	40ml VOA Vial ²	3	Cool 4°C/pH<2, HCl
BTEX	40ml VOA Vial ²	3	Cool 4°C/pH<2, HCl
GRO	40ml VOA Vial ²	3	Cool 4°C/pH<2, HCl
TPH (418.1)	1 Liter Amber ¹	2	Cool 4°C/pH<2, HCl
Oil and Grease	1 Liter Amber ¹	2	Cool 4°C/pH<2, HCl
Solids	1 Liter Amber or Plastic	1	Cool 4°C

¹ Should be checked on receipt for pH and free chlorine.

² Should be opened only by the analyst after analysis.



**SCHNEIDER LABORATORIES
GLOBAL, INCORPORATED**
analyzing the world

Appendix

F



SCHNEIDER LABORATORIES GLOBAL, INCORPORATED

NEW CLIENT INFORMATION FORM

CLIENT INFORMATION

COMPANY NAME:			
CONTACT:			
E-MAIL:		PHONE:	
MOBILE:		FAX:	

CLIENT ADDRESS

BILLING ADDRESS:					
STREET ADDRESS:					
CITY:		STATE:		ZIPCODE:	

REPORTING/SHIPPING ADDRESS *(if different than above)*

STREET ADDRESS:					
CITY:		STATE:		ZIPCODE:	

REPORTING OPTIONS

FAX:		E-MAIL:	
------	--	---------	--

PAYMENT INFORMATION

CREDIT CARD TYPE:	VISA <input type="checkbox"/> MASTERCARD <input type="checkbox"/> AMERICAN EXPRESS <input type="checkbox"/>				
CREDIT CARD #:		AUTH.#:		EXP:	
CARDHOLDER NAME:					
CARDHOLDER SIGNATURE:					
I hereby release and authorize the use of the above credit card to Schneider Laboratories, Inc. <i>Note: The following Credit Application (Page -2-) must be submitted if you are seeking Net 30 day credit terms.</i>					

INDUSTRY

GOVERNMENT AGENCY <input type="checkbox"/>	INDUSTRIAL HYGIENE <input type="checkbox"/>	ASBESTOS / LEAD <input type="checkbox"/>
ENVIRONMENTAL <input type="checkbox"/>	OTHER <input type="checkbox"/>	

HOW DID YOU FIND OUT ABOUT SCHNEIDER LABORATORIES?

--

Please FAX to: 804-359-1475

QUESTIONS, call us at: 804-353-6778 or 800-785-LABS (5227)

2512 W. Cary Street, Richmond, VA 23220



SCHNEIDER LABORATORIES GLOBAL, INCORPORATED

CREDIT APPLICATION AND AGREEMENT

BUSINESS INFORMATION

LEGAL BUSINESS NAME:			
DOING BUSINESS AS (DBA):		YEARS IN BUSINESS:	
TYPE OF BUSINESS:	CORPORATION <input type="checkbox"/> L.L.C. <input type="checkbox"/> PARTNERSHIP <input type="checkbox"/> SOLE PROPRIETORSHIP <input type="checkbox"/>		
TAX ID #:		D&B (if known):	
OWNER/PRINCIPAL NAME:			
ACC. PAYABLE CONTACT NAME:			
ACC. PAYABLE PHONE:		A/P FAX:	
		A/P EMAIL:	

TRADE REFERENCES

1	COMPANY NAME:			
	ACCOUNT #:			
	CONTACT:			
	PHONE:		FAX:	
2	COMPANY NAME:			
	ACCOUNT #:			
	CONTACT:			
	PHONE:		FAX:	
3	COMPANY NAME:			
	ACCOUNT #:			
	CONTACT:			
	PHONE:		FAX:	

BANK REFERENCE

BANK NAME:		OFFICER:	
BRANCH NAME:		PHONE:	
CHECKING ACCT. #:			
SAVINGS ACCT. #:			

AGREEMENT

The undersigned represents that he or she is an officer or agent of applicant and is duly authorized to act on its behalf. If extended credit pursuant to this Credit Agreement, the applicant hereby agrees to the following terms: Payment is due in full 30 days from the date of invoice. In the event that account is not paid in full by the due date, applicant will inform Schneider Laboratories, Inc. of the reason for nonpayment and will pay a late payment charge of 1.5% per month (18% annual) computed on the unpaid balance. The applicant agrees to pay all cost and reasonable attorney's fees incurred in connection with collection of any past due balances on this account. Any Homestead or other exemptions are hereby waived to the extent allowed by law. Schneider Laboratories, Inc. is hereby authorized to investigate the references listed above concerning applicant's credit history and financial responsibility. This Credit Application and Agreement supersedes any prior agreement between the parties and may not only be modified in writing.

AUTHORIZED SIGNATURE:		DATE:	
PRINTED NAME & TITLE:			

CREDIT CARD GUARANTEE

By signing below, client hereby authorizes Schneider Laboratories, Inc. to charge all past due invoices (60 days past the invoice date) to the company credit card listed on page one of this document. SLi will notify client prior to charging the credit card. Delinquent accounts (older than 90 days) are subject to collections; all collection expenses, attorney's fee and court costs are the responsibility of the creditor.

AUTHORIZED SIGNATURE:		DATE:	
PRINTED NAME & TITLE:			



**SCHNEIDER LABORATORIES
GLOBAL, INCORPORATED**
analyzing the world

Appendix

G

SCHNEIDER LABORATORIES GLOBAL, INC. TERMS AND CONDITIONS

Schneider Laboratories Global, Inc. ("Schneider", which includes all of Schneider's officers, directors, employees, agents, and all other representatives and/or agents of any kind [collectively, Schneider]) hereby expressly disclaims any and all liability for both any and all indirect and consequential damages which might be asserted or alleged by any person or entity – including but not limited to the person or entity submitting samples for testing its client(s), agents, representatives or third parties [collectively, the Submitting Company] – arising from or in any way relating to Schneider's performance of any and all services – including but not limited to analysis, testing and reporting regarding samples provided by Submitting Company – performed in connection with, or in any way relating to, this Chain-of-Custody form, the samples referenced herein, the Purchase Order referenced herein.

Schneider's liability is hereby expressly limited to the direct cost of correcting any error or omission in the performance of its services (which shall be strictly limited to the direct out-of-pocket cost of correctly performing the specific analyses or tests referenced herein, or the direct out-of-pocket cost of correctly reporting any result of Schneider's work).

By submitting, signing, or initialing this form,

- (1) the person submitting, signing, or initialing this form represents and warrants that he is authorized by the Submitting Company, all clients of the Submitting Company, and all other persons or entities who may be affected, to execute this form and all related forms and agreements and to bind all such persons/entities to all terms and conditions set forth herein; and
- (2) the Submitting Company hereby represents and warrants that it is authorized by all clients of the Submitting Company, and all other persons or entities who may be affected, to execute this form and all related forms and agreements and to bind all such persons/entities to all terms and conditions set forth herein; and
- (3) on behalf of all such clients, persons and entities, the Submitting Company hereby agrees to all terms and conditions set forth herein and expressly waives and releases any and all claims, whether past or future, for indirect or consequential damages as described herein.



**SCHNEIDER LABORATORIES
GLOBAL, INCORPORATED**
analyzing the world

Appendix

H



SCHNEIDER LABORATORIES GLOBAL, INCORPORATED

2512 W. Cary Street, Richmond, VA 23220-5117
804-353-6778 Toll Free - 800-785-LABS (5227) FAX - 804-359-1475
www.slabinc.com info@slabinc.com



Supply Request Form

Shipping and handling charges will be applied.

Requested by:

Account Number: _____ Date/Time: _____

CompanyName: _____

Requester's Name: _____ Phone# _____

Requester's Signature: _____

Ship To:

Company/Site Name: _____

Ship Attention: _____

Address: _____

City: _____ State: _____ Zip: _____

Date Needed: _____ Ship Via: _____

Qty	Supply Items
	Ghost Wipes
	Gloves, Latex - 100 count box
	Centrifuge Tubes
	Cassettes - 25mm Asbestos
	Cassettes - 37mm Metals
	Cassettes - 37mm PW (2 pc)
	Cassettes - 37mm PW (3 pc)

Qty	Supply Items
	Plastic Bottles - 125ml w/HNO ₃
	Plastic Bottles - 500ml w/HNO ₃
	Plastic Bottles - 1L w/HNO ₃
	VOA's w/HCL
	Amber Jars - 1L w/preservative
	Jars - 4oz.
	Jars - 8oz.

Qty	Supply Items
	Asbestos/Soil Bag - 3 x 5
	Asbestos/Soil Bag - 4 x 6
	Sample Bag - 12 x 12
	Waybills - Fed Ex
	Waybills - UPS
	COC - Standard COC
	COC - Organic COC

Qty	Additional Items

Qty	Additional Items

Qty	Additional Items

Order Taken By: _____

Date/Time Shipped: _____



**SCHNEIDER LABORATORIES
GLOBAL, INCORPORATED**
analyzing the world

Appendix

I

Schneider Laboratories Inc. Accreditations, Certifications, Licenses

NOTE:
*Analytical data submitted to a State, Local or Federal environmental program or agency may be required to come from a certified laboratory.
 Client is responsible for confirming that Sli has the required certification before submitting samples.
 Certificates and parameter lists are available upon request.*

NATIONAL ACCREDITATION

DEPT./AGENCY	CERTIFICATION/LICENSE/APPROVAL	ID NUMBER CERTIFICATE NUMBER
American Industrial Hygiene Association (AIHA)	Industrial Hygiene Laboratory Accreditation Program (IHLAP): Metals, Asbestos PCM, Organic Solvents, Silica, Asbestos PCM, Diffusive Samples; Environmental Lead Laboratory Accreditation Program (ELLAP/NLLAP): Paint Chips, Dust Wipes, Air, Soil	100527
U. S. Dept. of Commerce, National Institute of Standards and Technology (NIST) National Voluntary Laboratory Accreditation Program (NVLAP)	Bulk Asbestos Fiber Analysis	101150-0
National Environmental Laboratory Accreditation Conference (NELAC)	Non-Potable Water, Potable Water, Air & Emissions, Solid & Hazardous Waste. Please see Virginia VELAP Scope of Primary Accreditation for VA DCLS, and New York NYELAP Scope of Secondary Accreditation for NY Dept. of Health	See Virginia ELAP and New York ELAP below
U. S. Dept. of Agriculture Animal and Plant Health Inspection Service, Plant Protection Quarantine	Soil Permit	P330-100044
U. S. Environmental Protection Agency	Notification of Regulated Waste Activity (to comply with Section 3010 of the RCRA)	VAR000011429

STATE AND MUNICIPALITIES

STATE	DEPT./AGENCY/MUNICIPALITY	CERTIFICATION/LICENSE/APPROVAL	ID NUMBER CERTIFICATE NUMBER
Arkansas	Department of Environmental Quality Laboratory Certification Program	Metals: As, Ag, BA, Cd, Cr, Pb, Ni, Hg, Se	88-0943 06-044-0
California	Dept. of Health Services, Environmental Laboratory Accreditation Program (ELAP)	Drinking Water (Metals), Hazardous Waste (Metals), Extraction Tests of Hazardous Waste (Metals), Bulk Asbestos	2078
Connecticut	Dept. of Public Health	Approved Environmental Laboratory: Potable Water, Waste Water and/or Trade Waste, Soil (examination for Inorganic and Organic Chemicals); Asbestos (Air & Bulk); Examination for Lead (Paint Chips, Soil, Dust) Wipes	PH-0118
Florida	Department of Health Bureau of Laboratories Environmental Laboratory Certification Program	(NELAP Secondary Certification) CWA - Metals RCRA / CERCLA - Metals	E87828
Georgia	Department of Natural Resources, Environmental Protection Division	Non-Potable Water, Solid & Chemical Materials, and Air & Emission (See NELAP Scope of Accreditation for VA and NY)	874 VELAP 11413 NYELAP

Schneider Laboratories Inc. Accreditations, Certifications, Licenses

STATE	DEPT./AGENCY/MUNICIPALITY	CERTIFICATION/LICENSE/APPROVAL	ID NUMBER CERTIFICATE NUMBER
Georgia	Department of Natural Resources, Environmental Protection Division, Drinking Water Program	Drinking Water (See NELAP Scope of Accreditation for VA and NY)	874 VELAP 11413 NYELAP
Kansas	Department of Health & Environment Bureau of Health and Environmental Laboratories	(NELAP Secondary Certification) Lead	E-10348
Louisiana	Louisiana DEQ, LELAP	(NELAP Secondary Certification) Solid & Chemical Materials (Metals & Asbestos) Non-Potable (Metals) Air & Emissions (Lead, Asbestos PCM)	102607
Maine	Dept. of Environmental Protection	Asbestos Analytical Laboratory (Bulk)	LB-034
Maine	Dept. of Environmental Protection	Asbestos Analytical Laboratory (Air)	LB-035
Maine	Dept. of Human Services, Health & Environmental Testing Laboratory	Environmental Lead Laboratory: Paint Chips, Dust Wipes, Air, Soil	VA201
Maryland	Dept. of Health & Mental Hygiene	On List of Approved Laboratories (Metals in Soil, Paint Chips, Dust)	na
Massachusetts	Dept. of Labor & Industries	Phase Contrast Microscopy (PCM) - Air Sample; Polarized Light Microscopy (PLM) - Bulk Sample	AA 000129
New Jersey	Dept. of Environmental Protection	(NELAP Secondary Certification) State Certified Environmental Laboratory, Inorganic Metals (Drinking Water & Wastewater); Lead	VA001
New Jersey	Dept. of the Treasury, Div. of Revenue	Business Registration Certificate for State Agency and Casino Service Contractors	0100339
New York	Dept. of Health, Environmental Laboratory Approval Program	NYELAP Secondary Certification Environmental Analysis/Potable Water	11413 45127
New York	Dept. of Health, Environmental Laboratory Approval Program	NYELAP Secondary Certification Environmental Analysis/Non Potable Water	11413 44287
New York	Dept. of Health, Environmental Laboratory Approval Program	NYELAP Secondary Certification Environmental Analysis/Solid & Hazardous Waste	11413 44288
New York	Dept. of Health, Environmental Laboratory Approval Program	(NYELAP Secondary Certification) Environmental Analysis/Solid & Hazardous Waste	11413 44871
New York	Dept. of Health, Environmental Laboratory Approval Program	NYELAP Secondary Certification Environmental Analysis/Air & Emissions	11413 44290
New York	Dept. of Health, Environmental Laboratory Approval Program	NYELAP Secondary Certification Environmental Analysis/Air & Emissions	11413 44291
North Carolina	Dept. of the Environment, Health and Natural Resources, Div. Of Water Quality, Laboratory Certification Program	Inorganics, Metals, Selected Organics	593
Ohio	Dept. of Health	Environmental Lead Laboratory	10004
Pennsylvania	City of Philadelphia, Dept. of Licenses & Inspections	Asbestos Laboratory License (PCM, PLM)	154
Pennsylvania	Dept. of Environmental Protection, Office of Field Operations, Bureau of Laboratories	(NELAP Secondary Certification) Accredited Laboratory	68-00968
Pennsylvania	City of Philadelphia, Dept. of Public Health, Public Health Services, Air Management Services	Business Privilege License	100607
Rhode Island & Providence Plantations	Dept. of Health	Potable Water Inorganic Chemistry, Non-potable Water Organic Chemistry, Non-potable Water Inrganic Chemistry, Environmetnal Lead	LAO00084
Rhode Island & Providence Plantations	Dept. of Health, Office of Occupational & Radiological Health	Asbestos Analytical Service (Bulk & Air)	AAL-089C3
South Carolina	Dept. of Health & Environmental Control, Environmental Laboratory Certification Program	[Certifying Authority:CA]Solid & Hazardous Waste: PCBs and Pesticides, Inorganic - Trace Metal, Inorganic Hazardous Waste	93003003

Schneider Laboratories Inc. Accreditations, Certifications, Licenses

STATE	DEPT./AGENCY/MUNICIPALITY	CERTIFICATION/LICENSE/APPROVAL	ID NUMBER CERTIFICATE NUMBER
South Carolina	Dept. of Health & Environmental Control, Environmental Laboratory Certification Program	[Certifying Authority:NY] Clean Water Act: PCBs and Pesticides, Inorganic - Trace Metal	93003001
Texas	Dept. of Health	Asbestos Laboratory (PLM, PCM)	30-0147
Texas	Comptroller of Public Accounts	Certificate of Account Status	na
Vermont	Department of Health, Division of Health Protection, Environmental Health	Asbestos Analytical Services	AL436633
Vermont	Department of Health, Division of Health Protection, Environmental Health	Lead laboratory	LL017205
Virginia	Dept. of General Services, Div. of Consolidated Laboratory Services	VELAP Primary Accreditation Virginia Environmental Laboratory Accreditation Program	VELAP ID 460135 Certificate 874
Virginia	Dept. of Professional & Occupational Regulation	Asbestos Analytical Laboratory License, (PCM, PLM)	3333 000001
Virginia	City of Richmond	Business License - Account No. 1015241	19629
Washington	State of WA	Business Certificate	602980837
West Virginia	State Tax Department	Business Registration Certificate	2230-9761
West Virginia	Bureau of Public Health, Office of Environmental Health Services, Radiation, Toxics & Indoor Div.	Asbestos Air & Bulk Sample Analytical Laboratory License	LT000358
INDIVIDUAL LICENSE/CERTIFICATE			
STATE	DEPT./AGENCY/MUNICIPALITY	CERTIFICATION/LICENSE/APPROVAL	ID NUMBER CERTIFICATE NUMBER
Missouri	City of Saint Louis	Graduated Business License	LC7572460
Vermont	Department of Health, Division of Health Protection, Environmental Health	Asbestos PLM Analysis Hind S. Eldanaf	PB896240
Vermont	Department of Health, Division of Health Protection, Environmental Health	Asbestos PCM Analysis Hind S. Eldanaf	PA896240
Vermont	Department of Health, Division of Health Protection, Environmental Health	Asbestos PLM Analysis Dr. Elsamani Abdelfadiel	PB899013
Vermont	Department of Health, Division of Health Protection, Environmental Health	Asbestos PLM Analysis Dr. Elsamani Abdelfadiel	PA010129



**SCHNEIDER LABORATORIES
GLOBAL, INCORPORATED**
analyzing the world

Appendix

J

Acceptance Policy

BASIC REQUIREMENTS

- Samples must be submitted with a SLGi Submittal form or equivalent, with full instructions including tests requested and turn-around-time desired.
- It is the client's responsibility to communicate specific methods or detection limits required.
- Samples must be appropriately sealed to prevent leakage or cross-contamination.
- Samples must be clearly labeled.
- Samples should be collected on the appropriate media for the test and/or submitted in the appropriate vessel type. (See Sampling Guide for information per test.)
- Samples should be shipped in a manner to preserve the sample's safety, quality, and integrity.
- It is the client's responsibility to ship the samples to the lab at the appropriate temperature for sample preservation.
- Sample temperature will be monitored upon receipt for temperature-sensitive samples. The receipt temperature for organics environmental samples is displayed on the final report. Clients may be notified of the receipt temperature upon request.

LABORATORY RESPONSE TO UNSUITABLE SAMPLES

- When testing requests, sample labeling, or other associated information is unclear, the laboratory will contact the client for clarification.
- The laboratory retains the right to reject, or request re-collection and re-submission of, any sample believed to be unsuitable for testing.
- The laboratory will provide report comments regarding any samples with questionable suitability.

LABORATORY RESPONSIBILITY & SAMPLER'S / CLIENT'S RESPONSIBILITY

- The laboratory does not provide sampling services for its clients.
- All samples are tested as received, and all laboratory analysis results relate only to the portion tested.
- It is the sampler's responsibility to provide a sample that is representative of the material being investigated.
- **IT IS THE CLIENT'S RESPONSIBILITY TO VERIFY THAT THE LABORATORY HOLDS THE CERTIFICATIONS OR APPROVALS REQUIRED BY THE DATA USER PRIOR TO THE SUBMISSION OF SAMPLES.**



**SCHNEIDER LABORATORIES
GLOBAL, INCORPORATED**
analyzing the world

Appendix

K



**SCHNEIDER LABORATORIES
GLOBAL, INCORPORATED**
analyzing the world

CONSUMER PRODUCT TESTING

We test consumer products such as: toys, ceramics, chemicals, pens, jewelry and much more.



Please call for pricing.

Many families have no idea that they could be serving meals on potentially toxic dishes. Schneider Labs teamed up with CBS6 to investigate the presence of lead in your dishes. You might be surprised to find out how much toxicity is creeping in your household!



Check our website for the video: <http://www.slabinc.com/consumer-product-testing.shtml>



**SCHNEIDER LABORATORIES
GLOBAL, INCORPORATED**
analyzing the world

Appendix

L



**SCHNEIDER LABORATORIES
GLOBAL, INCORPORATED**
analyzing the world

**Research &
Development**
(Method Development)

available upon request, please call for pricing

GC/MS Library Search Profile

- **Over 240,000 mass spectra**
- **Over 212,000 compounds**
- **MS/MS and GC retention index libraries**
- **MS Search 2.0g**
- **AMDIS**