

**NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER**



Expires 12:01 AM April 01, 2012  
Issued April 01, 2011

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**  
*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MR. RAJA ABOUZAKI**  
**SCHNEIDER LABORATORIES GLOBAL, INC**  
**2512 WEST CARY STREET**  
**RICHMOND, VA 23220-5117**

**NY Lab Id No: 11413**  
**EPA Lab Code: VA00902**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards for the category  
**ENVIRONMENTAL ANALYSES NON POTABLE WATER**  
All approved analytes are listed below:*

<b>Acrylates</b>		<b>Chlorinated Hydrocarbon Pesticides</b>	
Acrolein (Propenal)	EPA 624 EPA 8260B	Chlordane Total	EPA 8081A
Acrylonitrile	EPA 624 EPA 8260B	delta-BHC	EPA 608
<b>Amines</b>		Dieldrin	EPA 8081A EPA 608
Pyridine	EPA 8270C	Endosulfan I	EPA 8081A EPA 608
<b>Benzidines</b>		Endosulfan II	EPA 608
3,3'-Dichlorobenzidine	EPA 625 EPA 8270C	Endosulfan sulfate	EPA 8081A EPA 608
Benzidine	EPA 625 EPA 8270C	Endrin	EPA 8081A EPA 608
<b>Chlorinated Hydrocarbon Pesticides</b>		Endrin aldehyde	EPA 608 EPA 8081A
4,4'-DDD	EPA 608 EPA 8081A	Heptachlor	EPA 608 EPA 8081A
4,4'-DDE	EPA 608 EPA 8081A	Heptachlor epoxide	EPA 608 EPA 8081A
4,4'-DDT	EPA 608 EPA 8081A	Lindane	EPA 608 EPA 8081A
Aldrin	EPA 608 EPA 8081A	Methoxychlor	EPA 8081A SM 18-20 6630C
alpha-BHC	EPA 8081A	Toxaphene	EPA 608 EPA 8081A
beta-BHC	EPA 608 EPA 8081A		
Chlordane Total	EPA 608		

**Serial No.: 44287**

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.



**NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER**



Expires 12:01 AM April 01, 2012  
Issued April 01, 2011

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MR. RAJA ABOUZAKI**  
**SCHNEIDER LABORATORIES GLOBAL, INC**  
**2512 WEST CARY STREET**  
**RICHMOND, VA 23220-5117**

**NY Lab Id No: 11413**  
**EPA Lab Code: VA00902**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards for the category  
**ENVIRONMENTAL ANALYSES NON POTABLE WATER**  
All approved analytes are listed below:*

**Chlorinated Hydrocarbons**

1,2,4-Trichlorobenzene	EPA 825 EPA 8270C
2-Chloronaphthalene	EPA 625 EPA 8270C
Hexachlorobenzene	EPA 625 EPA 8270C
Hexachlorobutadiene	EPA 625 EPA 8270C
Hexachlorocyclopentadiene	EPA 625 EPA 8270C
Hexachloroethane	EPA 625 EPA 8270C

**Chlorophenoxy Acid Pesticides**

2,4,5-T	EPA 8151A SM 18-20 6640B
2,4,5-TP (Silvex)	EPA 8151A SM 18-20 6640B
2,4-D	EPA 8151A SM 18-20 6640B

**Demand**

Biochemical Oxygen Demand	SM 18-21 5210B (01)
---------------------------	---------------------

**Haloethers**

4-Bromophenylphenyl ether	EPA 625 EPA 8270C
---------------------------	----------------------

**Haloethers**

4-Chlorophenylphenyl ether	EPA 625 EPA 8270C
Bis (2-chloroisopropyl) ether	EPA 625 EPA 8270C
Bis(2-chloroethoxy)methane	EPA 625 EPA 8270C
Bis(2-chloroethyl)ether	EPA 625 EPA 8270C

**Mineral**

Fluoride, Total	EPA 300.0 Rev. 2.1
Sulfate (as SO4)	EPA 300.0 Rev. 2.1

**Nitroaromatics and Isophorone**

2,4-Dinitrotoluene	EPA 625 EPA 8270C
2,6-Dinitrotoluene	EPA 625 EPA 8270C
Isophorone	EPA 625 EPA 8270C
Nitrobenzene	EPA 625 EPA 8270C

**Nitrosoamines**

N-Nitrosodimethylamine	EPA 625 EPA 8270C
N-Nitrosodi-n-propylamine	EPA 625

**Serial No.: 44287**

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.



**NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER**



Expires 12:01 AM April 01, 2012  
Issued April 01, 2011

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MR. RAJA ABOUZAKI**  
**SCHNEIDER LABORATORIES GLOBAL, INC**  
**2512 WEST CARY STREET**  
**RICHMOND, VA 23220-5117**

**NY Lab Id No: 11413**  
**EPA Lab Code: VA00902**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards for the category  
**ENVIRONMENTAL ANALYSES NON POTABLE WATER**  
All approved analytes are listed below:*

**Nitrosoamines**

N-Nitrosodi-n-propylamine      EPA 8270C  
N-Nitrosodiphenylamine      EPA 625

EPA 8270C

**Phthalate Esters**

Benzyl butyl phthalate      EPA 625  
EPA 8270C

Bis(2-ethylhexyl) phthalate      EPA 625  
EPA 8270C

Diethyl phthalate      EPA 625

Dimethyl phthalate      EPA 625  
EPA 8270C

Di-n-butyl phthalate      EPA 625  
EPA 8270C

Di-n-octyl phthalate      EPA 625  
EPA 8270C

**Polychlorinated Biphenyls**

PCB-1016      EPA 608  
EPA 8082

PCB-1221      EPA 608  
EPA 8082

PCB-1232      EPA 608  
EPA 8082

PCB-1242      EPA 608  
EPA 8082

**Polychlorinated Biphenyls**

PCB-1248      EPA 608

EPA 8082

PCB-1254      EPA 608

EPA 8082

PCB-1260      EPA 608

EPA 8082

**Polynuclear Aromatics**

Acenaphthene      EPA 625

EPA 8270C

Acenaphthylene      EPA 625

EPA 8270C

Anthracene      EPA 625

EPA 8270C

Benzo(a)anthracene      EPA 625

EPA 8270C

Benzo(a)pyrene      EPA 625

EPA 8270C

Benzo(ghi)perylene      EPA 625

EPA 8270C

Benzo(k)fluoranthene      EPA 625

EPA 8270C

Chrysene      EPA 625

EPA 8270C

Dibenzo(a,h)anthracene      EPA 625

EPA 8270C

**Serial No.: 44287**

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (516) 485-5570 to verify the laboratory's accreditation status.



**NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER**



Expires 12:01 AM April 01, 2012  
Issued April 01, 2011

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MR. RAJA ABOUZAKI**  
**SCHNEIDER LABORATORIES GLOBAL, INC**  
**2512 WEST CARY STREET**  
**RICHMOND, VA 23220-5117**

**NY Lab Id No: 11413**  
**EPA Lab Code: VA00902**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Polynuclear Aromatics**

Fluoranthene	EPA 625
	EPA 8270C
Fluorene	EPA 625
	EPA 8270C
Indeno(1,2,3-cd)pyrene	EPA 625
	EPA 8270C
Naphthalene	EPA 625
	EPA 8270C
Phenanthrene	EPA 625
	EPA 8270C
Pyrene	EPA 625
	EPA 8270C

**Priority Pollutant Phenols**

2-Methyl-4,6-dinitrophenol	EPA 625
	EPA 8270C
2-Nitrophenol	EPA 625
	EPA 8270C
4-Chloro-3-methylphenol	EPA 625
	EPA 8270C
4-Nitrophenol	EPA 625
	EPA 8270C
Pentachlorophenol	EPA 625
	EPA 8270C
Phenol	EPA 625
	EPA 8270C

**Priority Pollutant Phenols**

2,4,5-Trichlorophenol	EPA 625
	EPA 8270C
2,4,6-Trichlorophenol	EPA 625
	EPA 8270C
2,4-Dichlorophenol	EPA 625
	EPA 8270C
2,4-Dimethylphenol	EPA 625
	EPA 8270C
2,4-Dinitrophenol	EPA 625
	EPA 8270C
2-Chlorophenol	EPA 625
	EPA 8270C

**Residue**

Solids, Total Dissolved	SM 18-21 2540C (97)
Solids, Total Suspended	SM 18-21 2540D (97)

**Volatile Aromatics**

1,2-Dichlorobenzene	EPA 624
	EPA 8260B
1,3-Dichlorobenzene	EPA 624
1,4-Dichlorobenzene	EPA 624
	EPA 8260B
Benzene	EPA 624
	EPA 8260B
Chlorobenzene	EPA 624
	EPA 8260B

**Serial No.: 44287**

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.



**NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER**



Expires 12:01 AM April 01, 2012  
Issued April 01, 2011

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MR. RAJA ABOUZAKI  
SCHNEIDER LABORATORIES GLOBAL, INC  
2512 WEST CARY STREET  
RICHMOND, VA 23220-5117**

**NY Lab Id No: 11413  
EPA Lab Code: VA00902**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Volatile Aromatics**

Ethyl benzene	EPA 624 EPA 8260B
Toluene	EPA 624 EPA 8260B
Total Xylenes	EPA 624 EPA 8260B

**Volatile Halocarbons**

1,1,1-Trichloroethane	EPA 624 EPA 8260B
1,1,2,2-Tetrachloroethane	EPA 624 EPA 8260B
1,1,2-Trichloroethane	EPA 624 EPA 8260B
1,1-Dichloroethane	EPA 624 EPA 8260B
1,1-Dichloroethene	EPA 624 EPA 8260B
1,2-Dichloroethane	EPA 624 EPA 8260B
1,2-Dichloropropane	EPA 624 EPA 8260B
2-Chloroethylvinyl ether	EPA 624 EPA 8260B
Bromochloromethane	EPA 8260B
Bromodichloromethane	EPA 624

**Volatile Halocarbons**

Bromodichloromethane	EPA 8260B
Bromoform	EPA 624 EPA 8260B
Bromomethane	EPA 624
Carbon tetrachloride	EPA 624 EPA 8260B
Chloroethane	EPA 624 EPA 8260B
Chloroform	EPA 624 EPA 8260B
Chloromethane	EPA 624
cis-1,3-Dichloropropene	EPA 624 EPA 8260B
Dibromochloromethane	EPA 8260B
Dichlorodifluoromethane	EPA 8260B
Methylene chloride	EPA 624 EPA 8260B
Tetrachloroethene	EPA 624 EPA 8260B
trans-1,2-Dichloroethene	EPA 624 EPA 8260B
trans-1,3-Dichloropropene	EPA 624 EPA 8260B
Trichlorofluoromethane	EPA 624 EPA 8260B

**Serial No.: 44287**

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (516) 485-5570 to verify the laboratory's accreditation status.





NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2012  
Issued April 01, 2011

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

MR. RAJA ABOUZAKI  
SCHNEIDER LABORATORIES GLOBAL, INC  
2512 WEST CARY STREET  
RICHMOND, VA 23220-5117

NY Lab Id No: 11413  
EPA Lab Code: VA00902

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Wastewater Metals II**

Zinc, Total EPA 200.7 Rev. 4.4  
EPA 6010B

**Wastewater Metals III**

Cobalt, Total EPA 200.7 Rev. 4.4  
EPA 6010B

Molybdenum, Total EPA 200.7 Rev. 4.4  
EPA 6010B

Thallium, Total EPA 200.7 Rev. 4.4  
EPA 200.9 Rev. 2.2

EPA 6010B  
Titanium, Total EPA 200.7 Rev. 4.4

EPA 6010B

**Wastewater Miscellaneous**

Bromide EPA 300.0 Rev. 2.1

Hydrogen Ion (pH) EPA 9040B

**Sample Preparation Methods**

EPA 3005A

EPA 3010A

EPA 3020A

EPA 3510C

EPA 5030B

Serial No.: 44287

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.

