


**DIVISION OF WATER RESOURCES  
LABORATORY CERTIFICATION BRANCH**

*In accordance with the provisions of N.C.G.S. 143-215.3 (a) (1), 143-215.3 (a)(10) and NCAC 2H.0800:*



**2022**

**Schneider Laboratories Global Inc.**

*Is hereby certified to perform environmental analysis as listed on Attachment I and report monitoring data to DEQ for compliance with NPDES effluent, surface water, groundwater, and pretreatment regulations.*

*By reference 15A NCAC 2H .0800 is made a part of this certificate.*

*This certificate does not guarantee validity of data generated, but indicates the methodology, equipment, quality control procedures, records, and proficiency of the laboratory have been examined and found to be acceptable.*

*This certificate shall be valid until*      12/31/2022

Certificate No. 593

A handwritten signature in black ink that reads "Todd Crawford".

Todd Crawford

## North Carolina Wastewater/Groundwater Laboratory Certification

### Certified Parameters Listing

Lab Name: Schneider Laboratories Global Inc.  
 Address: 2512 W. Cary Street  
 Richmond, VA 23220-

Certificate Number: 593  
 Effective Date: 1/1/2022  
 Expiration Date: 12/31/2022  
 Date of Last Amendment: 7/27/2021

The above named laboratory, having duly met the requirements of 15A NCAC 2H.0800, is hereby certified for the measurement of the parameters listed below.

#### CERTIFIED PARAMETERS

<p><b>METAL</b></p> <p><b>ALUMINUM</b>                      EPA 200.7, Rev. 4.4, 1994 (Aqueous)                      SW-846 6010 D (Aqueous)</p> <p><b>ANTIMONY</b>                      EPA 200.7, Rev. 4.4, 1994 (Aqueous)                      EPA 200.7, Rev. 4.4, 1994 (Non-Aqueous)                      SW-846 6010 D (Aqueous)                      SW-846 6010 D (Non-Aqueous)                      EPA 200.9, Rev. 2.2, 1994 (Aqueous)</p> <p><b>ARSENIC</b>                      EPA 200.7, Rev. 4.4, 1994 (Aqueous)                      EPA 200.7, Rev. 4.4, 1994 (Non-Aqueous)                      SW-846 6010 D (Aqueous)                      SW-846 6010 D (Non-Aqueous)                      EPA 200.9, Rev. 2.2, 1994 (Aqueous)</p> <p><b>BARIUM</b>                      EPA 200.7, Rev. 4.4, 1994 (Aqueous)                      EPA 200.7, Rev. 4.4, 1994 (Non-Aqueous)                      SW-846 6010 D (Aqueous)                      SW-846 6010 D (Non-Aqueous)</p> <p><b>BERYLLIUM</b>                      EPA 200.7, Rev. 4.4, 1994 (Aqueous)                      SW-846 6010 D (Aqueous)</p> <p><b>CADMIUM</b>                      EPA 200.7, Rev. 4.4, 1994 (Aqueous)                      EPA 200.7, Rev. 4.4, 1994 (Non-Aqueous)                      SW-846 6010 D (Aqueous)                      SW-846 6010 D (Non-Aqueous)                      EPA 200.9, Rev. 2.2, 1994 (Aqueous)</p> <p><b>CHROMIUM TOTAL</b>                      EPA 200.7, Rev. 4.4, 1994 (Aqueous)                      EPA 200.7, Rev. 4.4, 1994 (Non-Aqueous)                      SW-846 6010 D (Aqueous)</p>	<p>SW-846 6010 D (Non-Aqueous)</p> <p><b>COBALT</b>                      EPA 200.7, Rev. 4.4, 1994 (Aqueous)                      SW-846 6010 D (Aqueous)</p> <p><b>COPPER</b>                      EPA 200.7, Rev. 4.4, 1994 (Aqueous)                      EPA 200.7, Rev. 4.4, 1994 (Non-Aqueous)                      SW-846 6010 D (Aqueous)</p> <p><b>IRON</b>                      EPA 200.7, Rev. 4.4, 1994 (Aqueous)                      SW-846 6010 D (Aqueous)</p> <p><b>LEAD</b>                      SW-846 7000 B (Aqueous)                      SW-846 7000 B (Non-Aqueous)                      EPA 200.7, Rev. 4.4, 1994 (Aqueous)                      EPA 200.7, Rev. 4.4, 1994 (Non-Aqueous)                      SW-846 6010 D (Aqueous)                      SW-846 6010 D (Non-Aqueous)                      EPA 200.9, Rev. 2.2, 1994 (Aqueous)</p> <p><b>MANGANESE</b>                      EPA 200.7, Rev. 4.4, 1994 (Aqueous)                      SW-846 6010 D (Aqueous)</p> <p><b>MERCURY</b>                      EPA 245.1, Rev. 3.0, 1994 (Aqueous)                      SW-846 7470 A (Aqueous)                      SW-846 7471 B (Non-Aqueous)</p> <p><b>NICKEL</b>                      EPA 200.7, Rev. 4.4, 1994 (Aqueous)                      EPA 200.7, Rev. 4.4, 1994 (Non-Aqueous)                      SW-846 6010 D (Aqueous)                      SW-846 6010 D (Non-Aqueous)</p> <p><b>SELENIUM</b>                      EPA 200.7, Rev. 4.4, 1994 (Aqueous)                      EPA 200.7, Rev. 4.4, 1994 (Non-Aqueous)</p>
---	---

# North Carolina Wastewater/Groundwater Laboratory Certification

## Certified Parameters Listing

Lab Name: Schneider Laboratories Global Inc.  
Address: 2512 W. Cary Street  
Richmond, VA 23220-

Certificate Number: 593  
Effective Date: 1/1/2022  
Expiration Date: 12/31/2022  
Date of Last Amendment: 7/27/2021

The above named laboratory, having duly met the requirements of 15A NCAC 2H.0800, is hereby certified for the measurement of the parameters listed below.

### CERTIFIED PARAMETERS

SW-846 6010 D (Aqueous)  
SW-846 6010 D (Non-Aqueous)  
EPA 200.9, Rev. 2.2, 1994 (Aqueous)  
SILVER  
EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
EPA 200.7, Rev. 4.4, 1994 (Non-Aqueous)  
SW-846 6010 D (Aqueous)  
SW-846 6010 D (Non-Aqueous)  
THALLIUM  
EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
SW-846 6010 D (Aqueous)  
EPA 200.9, Rev. 2.2, 1994 (Aqueous)  
VANADIUM  
EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
SW-846 6010 D (Aqueous)  
ZINC  
EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
EPA 200.7, Rev. 4.4, 1994 (Non-Aqueous)  
SW-846 6010 D (Aqueous)