

NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

MR. FAYEZ ABOUZAKI  
SCHNEIDER LABORATORIES GLOBAL, INC  
2512 WEST CARY STREET  
RICHMOND, VA 23220-5117

NY Lab Id No: 11413

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES POTABLE WATER  
All approved analytes are listed below:*

**Metals I**

Lead, Total

EPA 200.9 Rev. 2.2



Serial No.: 68765

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

MR. FAYEZ ABOUZAKI  
SCHNEIDER LABORATORIES GLOBAL, INC  
2512 WEST CARY STREET  
RICHMOND, VA 23220-5117

NY Lab Id No: 11413

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Amines**

Pyridine EPA 8270D

**Chlorinated Hydrocarbon Pesticides**

alpha-Chlordane EPA 8081B

Chlordane Total EPA 8081B

EPA 8270D

Endrin EPA 8081B

gamma-Chlordane EPA 8081B

Heptachlor EPA 8081B

Heptachlor epoxide EPA 8081B

Lindane EPA 8081B

Methoxychlor EPA 8081B

Toxaphene EPA 8081B

**Chlorinated Hydrocarbons**

Hexachlorobenzene EPA 8270D

Hexachlorobutadiene EPA 8270D

Hexachloroethane EPA 8270D

**Chlorophenoxy Acid Pesticides**

2,4,5-TP (Silvex) EPA 8151A

2,4-D EPA 8151A

**Metals I**

Barium, Total EPA 200.7, Rev. 4.4 (1994)

EPA 6010D

Cadmium, Total EPA 200.7, Rev. 4.4 (1994)

EPA 6010D

Calcium, Total EPA 6010D

Chromium, Total EPA 200.7, Rev. 4.4 (1994)

Serial No.: 68766

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MR. FAYEZ ABOUZAKI**  
**SCHNEIDER LABORATORIES GLOBAL, INC**  
**2512 WEST CARY STREET**  
**RICHMOND, VA 23220-5117**

**NY Lab Id No: 11413**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Metals I**

|                  |   |
|------------------|---|
| Chromium, Total  | EPA 6010D   |
| Copper, Total    | EPA 6010D   |
| Iron, Total      | EPA 6010D   |
| Lead, Total      | EPA 200.7, Rev. 4.4 (1994)<br>EPA 6010D<br>EPA 7000B<br>EPA 200.9 Rev. 2.2 (1994) |
| Magnesium, Total | EPA 6010D   |
| Manganese, Total | EPA 6010D   |
| Nickel, Total    | EPA 6010D   |
| Potassium, Total | EPA 6010D   |
| Silver, Total    | EPA 200.7, Rev. 4.4 (1994)<br>EPA 6010D   |
| Sodium, Total    | EPA 6010D   |

**Metals II**

|                  |   |
|------------------|---|
| Aluminum, Total  | EPA 6010D                               |
| Antimony, Total  | EPA 6010D                               |
| Arsenic, Total   | EPA 200.7, Rev. 4.4 (1994)<br>EPA 6010D |
| Beryllium, Total | EPA 6010D                               |
| Mercury, Total   | EPA 245.1, Rev. 3.0 (1994)<br>EPA 7470A |
| Selenium, Total  | EPA 200.7, Rev. 4.4 (1994)<br>EPA 6010D |
| Vanadium, Total  | EPA 6010D                               |
| Zinc, Total      | EPA 6010D                               |

**Serial No.: 68766**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MR. FAYEZ ABOUZAKI**  
**SCHNEIDER LABORATORIES GLOBAL, INC**  
**2512 WEST CARY STREET**  
**RICHMOND, VA 23220-5117**

**NY Lab Id No: 11413**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Metals III**

|                   |           |
|-------------------|-----------|
| Cobalt, Total     | EPA 6010D |
| Molybdenum, Total | EPA 6010D |
| Thallium, Total   | EPA 6010D |
| Tin, Total        | EPA 6010D |
| Titanium, Total   | EPA 6010D |

**Nitroaromatics and Isophorone**

|                    |           |
|--------------------|-----------|
| 2,4-Dinitrotoluene | EPA 8270D |
| Nitrobenzene       | EPA 8270D |

**Polychlorinated Biphenyls**

|                         |           |
|-------------------------|-----------|
| Aroclor 1016 (PCB-1016) | EPA 8082A |
| Aroclor 1221 (PCB-1221) | EPA 8082A |
| Aroclor 1232 (PCB-1232) | EPA 8082A |
| Aroclor 1242 (PCB-1242) | EPA 8082A |
| Aroclor 1248 (PCB-1248) | EPA 8082A |
| Aroclor 1254 (PCB-1254) | EPA 8082A |
| Aroclor 1260 (PCB-1260) | EPA 8082A |
| Aroclor 1262 (PCB-1262) | EPA 8082A |
| Aroclor 1268 (PCB-1268) | EPA 8082A |

**Polynuclear Aromatics**

|                      |           |
|----------------------|-----------|
| Acenaphthene         | EPA 8270D |
| Anthracene           | EPA 8270D |
| Benzo(a)anthracene   | EPA 8270D |
| Benzo(a)pyrene       | EPA 8270D |
| Benzo(b)fluoranthene | EPA 8270D |
| Benzo(g,h,i)perylene | EPA 8270D |
| Benzo(k)fluoranthene | EPA 8270D |

**Serial No.: 68766**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MR. FAYEZ ABOUZAKI**  
**SCHNEIDER LABORATORIES GLOBAL, INC**  
**2512 WEST CARY STREET**  
**RICHMOND, VA 23220-5117**

**NY Lab Id No: 11413**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Polynuclear Aromatics**

|                        |           |
|------------------------|-----------|
| Chrysene               | EPA 8270D |
| Dibenzo(a,h)anthracene | EPA 8270D |
| Fluoranthene           | EPA 8270D |
| Fluorene               | EPA 8270D |
| Indeno(1,2,3-cd)pyrene | EPA 8270D |
| Naphthalene            | EPA 8270D |
| Phenanthrene           | EPA 8270D |
| Pyrene                 | EPA 8270D |

**Priority Pollutant Phenols**

|                       |           |
|-----------------------|-----------|
| 2,4,5-Trichlorophenol | EPA 8270D |
| 2,4,6-Trichlorophenol | EPA 8270D |
| 2-Methylphenol        | EPA 8270D |
| 3-Methylphenol        | EPA 8270D |
| 4-Methylphenol        | EPA 8270D |
| Pentachlorophenol     | EPA 8270D |

**Volatile Aromatics**

|                        |           |
|------------------------|-----------|
| 1,2,4-Trimethylbenzene | EPA 8260D |
| 1,3,5-Trimethylbenzene | EPA 8260D |
| 1,4-Dichlorobenzene    | EPA 8260D |
| Benzene                | EPA 8260D |
| Chlorobenzene          | EPA 8260D |
| Ethyl benzene          | EPA 8260D |
| Isopropylbenzene       | EPA 8260D |
| m/p-Xylenes            | EPA 8260D |
| Naphthalene, Volatile  | EPA 8260D |
| n-Butylbenzene         | EPA 8260D |

**Serial No.: 68766**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

MR. FAYEZ ABOUZAKI  
SCHNEIDER LABORATORIES GLOBAL, INC  
2512 WEST CARY STREET  
RICHMOND, VA 23220-5117

NY Lab Id No: 11413

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Volatile Aromatics**

|                               |           |
|-------------------------------|-----------|
| n-Propylbenzene               | EPA 8260D |
| o-Xylene                      | EPA 8260D |
| p-Isopropyltoluene (P-Cymene) | EPA 8260D |
| sec-Butylbenzene              | EPA 8260D |
| tert-Butylbenzene             | EPA 8260D |
| Toluene                       | EPA 8260D |
| Total Xylenes                 | EPA 8260D |

**Volatile Halocarbons**

|                      |           |
|----------------------|-----------|
| 1,1-Dichloroethene   | EPA 8260D |
| 1,2-Dichloroethane   | EPA 8260D |
| Carbon tetrachloride | EPA 8260D |
| Chloroform           | EPA 8260D |
| Tetrachloroethene    | EPA 8260D |
| Trichloroethene      | EPA 8260D |
| Vinyl chloride       | EPA 8260D |

**Volatiles Organics**

|                                 |           |
|---------------------------------|-----------|
| 2-Butanone (Methylethyl ketone) | EPA 8260D |
|---------------------------------|-----------|

**Sample Preparation Methods**

|           |
|-----------|
| EPA 5030C |
| EPA 3010A |
| EPA 3005A |
| EPA 3510C |
| EPA 3020A |

Serial No.: 68766

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

MR. FAYEZ ABOUZAKI  
SCHNEIDER LABORATORIES GLOBAL, INC  
2512 WEST CARY STREET  
RICHMOND, VA 23220-5117

NY Lab Id No: 11413

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE  
All approved analytes are listed below:*

**Characteristic Testing**

|                  |           |
|------------------|-----------|
| Corrosivity (pH) | EPA 9045D |
| TCLP             | EPA 1311  |

**Chlorinated Hydrocarbon Pesticides**

|                    |           |
|--------------------|-----------|
| alpha-Chlordane    | EPA 8081B |
| Chlordane Total    | EPA 8081B |
| Endrin             | EPA 8081B |
| gamma-Chlordane    | EPA 8081B |
| Heptachlor         | EPA 8081B |
| Heptachlor epoxide | EPA 8081B |
| Lindane            | EPA 8081B |
| Methoxychlor       | EPA 8081B |
| Toxaphene          | EPA 8081B |

**Chlorinated Hydrocarbons**

|                     |           |
|---------------------|-----------|
| Hexachlorobenzene   | EPA 8270D |
| Hexachlorobutadiene | EPA 8270D |
| Hexachloroethane    | EPA 8270D |

**Metals I**

|                  |           |
|------------------|-----------|
| Barium, Total    | EPA 6010D |
| Cadmium, Total   | EPA 6010D |
| Calcium, Total   | EPA 6010D |
| Chromium, Total  | EPA 6010D |
| Copper, Total    | EPA 6010D |
| Iron, Total      | EPA 6010D |
| Lead, Total      | EPA 6010D |
|                  | EPA 7000B |
| Magnesium, Total | EPA 6010D |

Serial No.: 68767

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

MR. FAYEZ ABOUZAKI  
SCHNEIDER LABORATORIES GLOBAL, INC  
2512 WEST CARY STREET  
RICHMOND, VA 23220-5117

NY Lab Id No: 11413

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE  
All approved analytes are listed below:*

**Metals I**

|                  |           |
|------------------|-----------|
| Manganese, Total | EPA 6010D |
| Nickel, Total    | EPA 6010D |
| Potassium, Total | EPA 6010D |
| Silver, Total    | EPA 6010D |
| Sodium, Total    | EPA 6010D |

**Metals II**

|                  |           |
|------------------|-----------|
| Aluminum, Total  | EPA 6010D |
| Antimony, Total  | EPA 6010D |
| Arsenic, Total   | EPA 6010D |
| Beryllium, Total | EPA 6010D |
| Chromium VI      | EPA 7196A |
| Mercury, Total   | EPA 7471B |
| Selenium, Total  | EPA 6010D |
| Vanadium, Total  | EPA 6010D |
| Zinc, Total      | EPA 6010D |

**Metals III**

|                   |           |
|-------------------|-----------|
| Cobalt, Total     | EPA 6010D |
| Molybdenum, Total | EPA 6010D |
| Thallium, Total   | EPA 6010D |
| Tin, Total        | EPA 6010D |
| Titanium, Total   | EPA 6010D |

**Miscellaneous**

|              |           |
|--------------|-----------|
| Boron, Total | EPA 6010D |
|--------------|-----------|

**Nitroaromatics and Isophorone**

|                    |           |
|--------------------|-----------|
| 2,4-Dinitrotoluene | EPA 8270D |
| Nitrobenzene       | EPA 8270D |

Serial No.: 68767

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).





NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MR. FAYEZ ABOUZAKI**  
**SCHNEIDER LABORATORIES GLOBAL, INC**  
**2512 WEST CARY STREET**  
**RICHMOND, VA 23220-5117**

**NY Lab Id No: 11413**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE  
All approved analytes are listed below:*

**Nitroaromatics and Isophorone**

Pyridine EPA 8270D

**Polychlorinated Biphenyls**

Aroclor 1016 (PCB-1016) EPA 8082A  
Aroclor 1221 (PCB-1221) EPA 8082A  
Aroclor 1232 (PCB-1232) EPA 8082A  
Aroclor 1242 (PCB-1242) EPA 8082A  
Aroclor 1248 (PCB-1248) EPA 8082A  
Aroclor 1254 (PCB-1254) EPA 8082A  
Aroclor 1260 (PCB-1260) EPA 8082A  
Aroclor 1262 (PCB-1262) EPA 8082A  
Aroclor 1268 (PCB-1268) EPA 8082A

**Priority Pollutant Phenols**

2,4,5-Trichlorophenol EPA 8270D  
2,4,6-Trichlorophenol EPA 8270D  
2-Methylphenol EPA 8270D  
3-Methylphenol EPA 8270D  
4-Methylphenol EPA 8270D  
Pentachlorophenol EPA 8270D

**Volatile Aromatics**

1,2,4-Trimethylbenzene EPA 8260D  
1,3,5-Trimethylbenzene EPA 8260D  
1,4-Dichlorobenzene EPA 8260D  
Benzene EPA 8260D  
Chlorobenzene EPA 8260D  
Ethyl benzene EPA 8260D  
Isopropylbenzene EPA 8260D

**Serial No.: 68767**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

MR. FAYEZ ABOUZAKI  
SCHNEIDER LABORATORIES GLOBAL, INC  
2512 WEST CARY STREET  
RICHMOND, VA 23220-5117

NY Lab Id No: 11413

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE  
All approved analytes are listed below:*

**Volatile Aromatics**

|                               |           |
|-------------------------------|-----------|
| m/p-Xylenes                   | EPA 8260D |
| Naphthalene, Volatile         | EPA 8260D |
| n-Butylbenzene                | EPA 8260D |
| n-Propylbenzene               | EPA 8260D |
| o-Xylene                      | EPA 8260D |
| p-Isopropyltoluene (P-Cymene) | EPA 8260D |
| sec-Butylbenzene              | EPA 8260D |
| tert-Butylbenzene             | EPA 8260D |
| Toluene                       | EPA 8260D |
| Total Xylenes                 | EPA 8260D |

**Volatile Halocarbons**

|                      |           |
|----------------------|-----------|
| 1,1-Dichloroethene   | EPA 8260D |
| 1,2-Dichloroethane   | EPA 8260D |
| Carbon tetrachloride | EPA 8260D |
| Chloroform           | EPA 8260D |
| Tetrachloroethene    | EPA 8260D |
| Trichloroethene      | EPA 8260D |
| Vinyl chloride       | EPA 8260D |

**Volatile Organics**

|                                 |           |
|---------------------------------|-----------|
| 2-Butanone (Methylethyl ketone) | EPA 8260D |
|---------------------------------|-----------|

**Sample Preparation Methods**

EPA 5035A-L  
EPA 5035A-H  
EPA 3010A  
EPA 3050B  
EPA 3550C

Serial No.: 68767

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

*MR. FAYEZ ABOUZAKI  
SCHNEIDER LABORATORIES GLOBAL, INC  
2512 WEST CARY STREET  
RICHMOND, VA 23220-5117*

*NY Lab Id No: 11413*

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE  
All approved analytes are listed below:*

**Sample Preparation Methods**

EPA 3540C



**Serial No.: 68767**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MR. FAYEZ ABOUZAKI**  
**SCHNEIDER LABORATORIES GLOBAL, INC**  
**2512 WEST CARY STREET**  
**RICHMOND, VA 23220-5117**

**NY Lab Id No: 11413**

*is hereby APPROVED as an Environmental Laboratory for the category*  
**ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE**  
*All approved subcategories and/or analytes are listed below:*

**Miscellaneous**

|                                      |                                   |
|--------------------------------------|-----------------------------------|
| Asbestos in Friable Material         | EPA 600/M4/82/020                 |
| Asbestos in Non-Friable Material-PLM | Item 198.6 of Manual (NOB by PLM) |
| Lead in Dust Wipes                   | EPA 7000B                         |
| Lead in Paint                        | EPA 7000B                         |

**Sample Preparation Methods**

EPA 3050B  
ASTM E-1979-17  
ME-003-20-002



**Serial No.: 68768**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).

NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

MR. FAYEZ ABOUZAKI  
SCHNEIDER LABORATORIES GLOBAL, INC  
2512 WEST CARY STREET  
RICHMOND, VA 23220-5117

NY Lab Id No: 11413

*is hereby APPROVED as an Environmental Laboratory for the category  
ENVIRONMENTAL ANALYSES AIR AND EMISSIONS  
All approved subcategories and/or analytes are listed below:*

**Metals I**

Lead, Total NIOSH 7082  
NIOSH 7300

**Metals III**

Chromium, Total NIOSH 7300

**Miscellaneous**

Fibers NIOSH 7400 A RULES

**Sample Preparation Methods**

ME-006-20-002



Serial No.: 68769

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).